



# **DISA STIG Web Security**

**~ compliance report ~**

# DISA STIG Web Security

---

*compliance report*

## Description

---

This Application Security and Development Security Technical Implementation Guide (STIG) provides security guidance for use throughout the application development lifecycle. This STIG provides the guidance needed to promote the development, integration, and updating of secure applications. Subjects covered in this document are: development, design, testing, conversions and upgrades for existing applications, maintenance, software configuration management, education, and training.

## Disclaimer

---

This document or any of its content cannot account for, or be included in any form of legal advice. The outcome of a vulnerability scan (or security evaluation) should be utilized to ensure that diligent measures are taken to lower the risk of potential exploits carried out to compromise data.

Legal advice must be supplied according to its legal context. All laws and the environments in which they are applied, are constantly changed and revised. Therefore no information provided in this document may ever be used as an alternative to a qualified legal body or representative.

A portion of the information in this report is taken from Security Technical Implementation Guide, developed by Defense Information Systems Agency and can be found at [http://iase.disa.mil/stigs/stig/application\\_security\\_and\\_development\\_stig\\_v2r1\\_final\\_20080724.pdf](http://iase.disa.mil/stigs/stig/application_security_and_development_stig_v2r1_final_20080724.pdf).

## Scan



---

URL	<a href="https://pulse:59980/index.php">https://pulse:59980/index.php</a>
Scan date	07/01/2016 07:53:41
Duration	13 hours, 44 minutes
Profile	eurysco

## Compliance at a Glance

---

This section of the report is a summary and lists the number of alerts found according to individual compliance categories.

- [Secure Defaults \(3.5.1\)](#)  
 **No alerts in this category**
- [NSA Approved Cryptography \(3.6.2\)](#)  
 **No alerts in this category**
- [Data Transmission \(3.7.4\)](#)  
 **No alerts in this category**
- [Password Transmission \(3.8.4.2\)](#)  
 **No alerts in this category**
- [Excessive Privileges \(3.9.3\)](#)  
 **No alerts in this category**
- [Input Validation \(3.10\)](#)  
 **No alerts in this category**
- [SQL Injection Vulnerabilities \(3.10.1\)](#)  
 **No alerts in this category**
- [Command Injection Vulnerabilities \(3.10.4\)](#)  
 **No alerts in this category**

- Cross Site Scripting (XSS) Vulnerabilities (3.10.5)  
✔ **No alerts in this category**
- Hidden Fields in Web Pages (3.12)  
✔ **No alerts in this category**
- Application Information Disclosure (3.13)  
✔ **No alerts in this category**

# Compliance According to Categories: A Detailed Report

---

This section is a detailed report that explains each vulnerability found according to individual compliance categories.

## **(3.5.1) Secure Defaults**

The practice of secure defaults helps to ensure the application is deployed in a secure state. This practice implies unneeded or potentially unsafe functionality is disabled by default, and the user must explicitly enable the functionality when required.

No alerts in this category.

## **(3.6.2) NSA Approved Cryptography**

Cryptographic equipment, assembly or component classified or certified by NSA for encrypting and decrypting classified and sensitive national security information when appropriately keyed. Developed using established NSA business processes and containing NSA approved algorithms are used to protect systems requiring the most stringent protection mechanisms.

No alerts in this category.

## **(3.7.4) Data Transmission**

Classified data transmitted through a network, which is cleared to a lower level than the data being transmitted, is separately encrypted using NSA-approved cryptography.

No alerts in this category.

## **(3.8.4.2) Password Transmission**

In general, password use is highly discouraged in favor of PKI authentication. However, if applications transmit account passwords, they must be transmitted in an encrypted format.

No alerts in this category.

## **(3.9.3) Excessive Privileges**

An application executing with more privileges than are required for it to function is considered to have excessive privileges and is violating the "Principle of Least Privilege." Applications. An application with excessive privileges greatly increases the risk to the system in the event the application suffers a security breach. The type of attack performed will vary based on the privileges granted to the application account.

No alerts in this category.

## **(3.10) Input Validation**

A major cause of software vulnerabilities is failure to validate un-trusted input. Any data crossing a trust boundary, as identified in the threat modeling process, will be checked to ensure validity before being used. Input may come from a user, data store, network socket, or other source.

No alerts in this category.

## **(3.10.1) SQL Injection Vulnerabilities**

A SQL Injection vulnerability allows an attacker to modify a database query to access or modify data to which they are not permitted. SQL Injection vulnerabilities are exploited through un-validated user input.

No alerts in this category.

## **(3.10.4) Command Injection Vulnerabilities**

Command injection attacks are attempts to inject unwanted data into an application for the purpose of executing operating system shell commands. This can allow an attacker to execute code, possibly at a higher privilege level, resulting in system compromise. Command injection vulnerabilities are most often exploited through unvalidated input.

No alerts in this category.

### **(3.10.5) Cross Site Scripting (XSS) Vulnerabilities**

---

XSS is a vulnerability where input is accepted by a website and then sent back through a web page. This input can include code, such as JavaScript, to be executed by the user's browser. Since this code is seen as originating from the web server it can access data from the server's domain such as a cookie, or modify the behavior of the webpage by modifying links and other malicious actions. A cross site scripting vulnerability can lead to an attacker gaining personal information or directing a user to a site of the attacker's choice.

No alerts in this category.

### **(3.12) Hidden Fields in Web Pages**

---

A "hidden" field vulnerability results when hidden fields on a web page, values in a cookie, or variables included in the URL can be used for malicious purposes. While these fields are not normally visible or editable by the user of a web browser, they can be viewed and/or modified by looking at the source.

No alerts in this category.

### **(3.13) Application Information Disclosure**

---

Information disclosure vulnerabilities are leaks of information from an application which are used by the attacker to perform a malicious attack against the application. This information itself may be the target of an attacker, or the information could provide an attacker with data needed to compromise the application or system in a subsequent attack. Information disclosure vulnerabilities are most often the result of programming errors, insufficient authentication, poor error handling, or inadequate data protection.

No alerts in this category.



## Scanned items (coverage report)

<https://pulse:59980/>

No vulnerabilities have been identified for this URL

4 input(s) found for this URL

### Inputs

#### Input scheme 1

Input name	Input type
8850a96d6ce5608	URL encoded POST
changepassword	URL encoded POST

#### Input scheme 2

Input name	Input type
74efab27c34c8b6	URL encoded POST
changepassword	URL encoded POST

<https://pulse:59980/index.php>

No vulnerabilities have been identified for this URL

7 input(s) found for this URL

### Inputs

#### Input scheme 1

Input name	Input type
6444fc169591f55	URL encoded POST
changepassword	URL encoded POST

#### Input scheme 2

Input name	Input type
7ba456c9183076d	URL encoded POST
changepassword	URL encoded POST

#### Input scheme 3

Input name	Input type
acda8cbde4da6df	URL encoded POST
changepassword	URL encoded POST

#### Input scheme 4

Input name	Input type
Host	HTTP Header

<https://pulse:59980/autosuggest>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/autosuggest/js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

[https://pulse:59980/autosuggest/js/bsn.autosuggest\\_2.1.3.js](https://pulse:59980/autosuggest/js/bsn.autosuggest_2.1.3.js)

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/assets>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/assets/jquery-2.1.4.min.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/assets/jquery.mousewheel.min.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/assets/moment.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/assets/jquery.timeentry.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/modern>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/modern/dropdown.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/modern/accordion.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/modern/buttonset.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/modern/input-control.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/modern/pagecontrol.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/modern/calendar.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/modern/dialog.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/modern/pagelist.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL



<https://pulse:59980/plupload>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/plupload/js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/plupload/js/plupload.full.min.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/systemjq.php>

No vulnerabilities have been identified for this URL

30 input(s) found for this URL

### Inputs

#### Input scheme 1

Input name	Input type
-	URL encoded GET
009de6f2dffe343	URL encoded GET
domain	URL encoded GET
manufacturer	URL encoded GET
model	URL encoded GET
phptimeout	URL encoded GET

#### Input scheme 2

Input name	Input type
-	URL encoded GET
5c894195fab04a7	URL encoded GET
domain	URL encoded GET
manufacturer	URL encoded GET
model	URL encoded GET
phptimeout	URL encoded GET

#### Input scheme 3

Input name	Input type
-	URL encoded GET
b2bd8ca06f16034	URL encoded GET
domain	URL encoded GET
manufacturer	URL encoded GET
model	URL encoded GET
phptimeout	URL encoded GET

#### Input scheme 4

Input name	Input type
-	URL encoded GET
4ecbc2ad8e61dcb	URL encoded GET
domain	URL encoded GET
manufacturer	URL encoded GET
model	URL encoded GET
phptimeout	URL encoded GET

#### Input scheme 5

Input name	Input type
-	URL encoded GET
a23f7a680876e30	URL encoded GET

domain	URL encoded GET
manufacturer	URL encoded GET
model	URL encoded GET
phptimeout	URL encoded GET

#### https://pulse:59980/about.php

No vulnerabilities have been identified for this URL

4 input(s) found for this URL

#### Inputs

##### Input scheme 1

Input name	Input type
changepassword	URL encoded POST
eb6abd5a03fd49f	URL encoded POST

##### Input scheme 2

Input name	Input type
changepassword	URL encoded POST
de8c9c86cbc0e74	URL encoded POST

#### https://pulse:59980/core.php

No vulnerabilities have been identified for this URL

26 input(s) found for this URL

#### Inputs

##### Input scheme 1

Input name	Input type
a289c96c5a038f9	URL encoded POST
changepassword	URL encoded POST

##### Input scheme 2

Input name	Input type
	URL encoded POST
a289c96c5a038f9	URL encoded POST
corelisteningport	URL encoded POST
corephpport	URL encoded POST
coreservicedisplayname	URL encoded POST
coreservicelogonas	URL encoded POST
coreservicename	URL encoded POST
coreservicestartuptype	URL encoded POST
coretrustedcertificate	URL encoded POST
deleteconfiguration	URL encoded POST
submitform	URL encoded POST

##### Input scheme 3

Input name	Input type
5a8ca4470b5ad4b	URL encoded POST
changepassword	URL encoded POST

##### Input scheme 4

Input name	Input type
	URL encoded POST
5a8ca4470b5ad4b	URL encoded POST
corelisteningport	URL encoded POST
corephpport	URL encoded POST
coreservicedisplayname	URL encoded POST
coreservicelogonas	URL encoded POST
coreservicename	URL encoded POST

coreservicestartuptype	URL encoded POST
coretrustedcertificate	URL encoded POST
deleteconfiguration	URL encoded POST
submitform	URL encoded POST

<https://pulse:59980/nodes.php>

No vulnerabilities have been identified for this URL

57 input(s) found for this URL

## Inputs

### Input scheme 1

Input name	Input type
4c13f3b08e0b965	URL encoded POST
changepassword	URL encoded POST

### Input scheme 2

Input name	Input type
1890d4483f8a393	URL encoded GET
find	URL encoded GET
findtype	URL encoded GET
orderby	URL encoded GET

### Input scheme 3

Input name	Input type
1890d4483f8a393	URL encoded GET
find	URL encoded GET
findtype	URL encoded GET
metering	URL encoded GET
orderby	URL encoded GET

### Input scheme 4

Input name	Input type
1890d4483f8a393	URL encoded GET
remmetering	URL encoded GET
remmeteringname	URL encoded GET

### Input scheme 5

Input name	Input type
4c13f3b08e0b965	URL encoded POST
removedeploy	URL encoded POST

### Input scheme 6

Input name	Input type
4c13f3b08e0b965	URL encoded POST
confirmdeploy	URL encoded POST

### Input scheme 7

Input name	Input type
4c13f3b08e0b965	URL encoded POST
agentrefresh	URL encoded POST

### Input scheme 8

Input name	Input type
4c13f3b08e0b965	URL encoded POST
cmd	URL encoded POST
find	URL encoded POST
findtype	URL encoded POST
orderby	URL encoded POST

<b>Input scheme 9</b>	
Input name	Input type
find	URL encoded GET
findtype	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
results	URL encoded GET

<b>Input scheme 10</b>	
Input name	Input type
find	URL encoded GET
findtype	URL encoded GET

<b>Input scheme 11</b>	
Input name	Input type
changepassword	URL encoded POST
ed89df0d8109b99	URL encoded POST

<b>Input scheme 12</b>	
Input name	Input type
9cc435848440980	URL encoded GET
find	URL encoded GET
findtype	URL encoded GET
orderby	URL encoded GET

<b>Input scheme 13</b>	
Input name	Input type
9cc435848440980	URL encoded GET
find	URL encoded GET
findtype	URL encoded GET
metering	URL encoded GET
orderby	URL encoded GET

<b>Input scheme 14</b>	
Input name	Input type
9cc435848440980	URL encoded GET
remmetering	URL encoded GET
remmeteringname	URL encoded GET

<b>Input scheme 15</b>	
Input name	Input type
ed89df0d8109b99	URL encoded POST
removedeploy	URL encoded POST

<b>Input scheme 16</b>	
Input name	Input type
confirmdeploy	URL encoded POST
ed89df0d8109b99	URL encoded POST

<b>Input scheme 17</b>	
Input name	Input type
agentrefresh	URL encoded POST
ed89df0d8109b99	URL encoded POST

<b>Input scheme 18</b>	
Input name	Input type
cmd	URL encoded POST
ed89df0d8109b99	URL encoded POST
find	URL encoded POST

findtype	URL encoded POST
orderby	URL encoded POST

### https://pulse:59980/nodesjq.php

No vulnerabilities have been identified for this URL

18 input(s) found for this URL

#### Inputs

##### Input scheme 1

Input name	Input type
–	URL encoded GET
1890d4483f8a393	URL encoded GET
confirmdeploy	URL encoded GET
find	URL encoded GET
findtype	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET
results	URL encoded GET

##### Input scheme 2

Input name	Input type
–	URL encoded GET
9cc435848440980	URL encoded GET
confirmdeploy	URL encoded GET
find	URL encoded GET
findtype	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET
results	URL encoded GET

### https://pulse:59980/xml.php

No vulnerabilities have been identified for this URL

12 input(s) found for this URL

#### Inputs

##### Input scheme 1

Input name	Input type
1890d4483f8a393	URL encoded GET
export	URL encoded GET
source	URL encoded GET

##### Input scheme 2

Input name	Input type
export	URL encoded GET
f22fe6d757316f7	URL encoded GET
source	URL encoded GET

##### Input scheme 3

Input name	Input type
9cc435848440980	URL encoded GET
export	URL encoded GET
source	URL encoded GET

##### Input scheme 4

Input name	Input type
6219157ab0a5545	URL encoded GET

export	URL encoded GET
source	URL encoded GET

[https://pulse:59980/nodes\\_nagios.php](https://pulse:59980/nodes_nagios.php)

No vulnerabilities have been identified for this URL

37 input(s) found for this URL

## Inputs

### Input scheme 1

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET

### Input scheme 2

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
changepassword	URL encoded POST
f6e686c385649cf	URL encoded POST

### Input scheme 3

Input name	Input type
b79a926245ba467	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

### Input scheme 4

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

### Input scheme 5

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
b6f2c07ffb4fae9	URL encoded POST
changepassword	URL encoded POST

### Input scheme 6

Input name	Input type
b118d5f357ce28b	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET

executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

[https://pulse:59980/nodes\\_nagiosjq.php](https://pulse:59980/nodes_nagiosjq.php)

No vulnerabilities have been identified for this URL

20 input(s) found for this URL

### Inputs

#### Input scheme 1

Input name	Input type
–	URL encoded GET
b79a926245ba467	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

#### Input scheme 2

Input name	Input type
–	URL encoded GET
b118d5f357ce28b	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

[https://pulse:59980/nodes\\_inventory.php](https://pulse:59980/nodes_inventory.php)

No vulnerabilities have been identified for this URL

16 input(s) found for this URL

### Inputs

#### Input scheme 1

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET

#### Input scheme 2

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
b78f1bc917b24b8	URL encoded POST
changepassword	URL encoded POST

<b>Input scheme 3</b>	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
6fa327741c0d3b8	URL encoded POST
changepassword	URL encoded POST

[https://pulse:59980/nodes\\_programs.php](https://pulse:59980/nodes_programs.php)

No vulnerabilities have been identified for this URL

55 input(s) found for this URL

## Inputs

<b>Input scheme 1</b>	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET

<b>Input scheme 2</b>	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
13a19ff57c34b2e	URL encoded POST
changepassword	URL encoded POST

<b>Input scheme 3</b>	
Input name	Input type
479b221ad685d1b	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

<b>Input scheme 4</b>	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
13a19ff57c34b2e	URL encoded POST
uninstallidprogram	URL encoded POST
uninstallnameprogram	URL encoded POST
uninstallprogramconf	URL encoded POST
uninstallversprogram	URL encoded POST

<b>Input scheme 5</b>	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET



filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

#### Input scheme 6

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
6af335d9e7e58e3	URL encoded POST
changepassword	URL encoded POST

#### Input scheme 7

Input name	Input type
computerip	URL encoded GET
d01d663ec78f3e8	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

#### Input scheme 8

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
6af335d9e7e58e3	URL encoded POST
uninstallidprogram	URL encoded POST
uninstallnameprogram	URL encoded POST
uninstallprogramconf	URL encoded POST
uninstallversprogram	URL encoded POST

[https://pulse:59980/nodes\\_programsjq.php](https://pulse:59980/nodes_programsjq.php)

No vulnerabilities have been identified for this URL

24 input(s) found for this URL

#### Inputs

##### Input scheme 1

Input name	Input type
—	URL encoded GET
479b221ad685d1b	URL encoded GET
cid	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
message	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
-	URL encoded GET
cid	URL encoded GET
computerip	URL encoded GET
d01d663ec78f3e8	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
message	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

[https://pulse:59980/nodes\\_processes.php](https://pulse:59980/nodes_processes.php)

No vulnerabilities have been identified for this URL

53 input(s) found for this URL

### Inputs

Input scheme 1	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET

Input scheme 2	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
34b390859b6adca	URL encoded POST
changepassword	URL encoded POST

Input scheme 3	
Input name	Input type
181bee69d16f4c8	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

Input scheme 4	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
34b390859b6adca	URL encoded POST
endidprocess	URL encoded POST
endnameprocess	URL encoded POST
endtypeprocess	URL encoded POST

Input scheme 5	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 6	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
cd168b53c47fd12	URL encoded POST
changepassword	URL encoded POST

Input scheme 7	
Input name	Input type
a451cb49ec70c2e	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

Input scheme 8	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
cd168b53c47fd12	URL encoded POST
endidprocess	URL encoded POST
endnameprocess	URL encoded POST
endtypeprocess	URL encoded POST

[https://pulse:59980/nodes\\_processesjq.php](https://pulse:59980/nodes_processesjq.php)  
 No vulnerabilities have been identified for this URL  
 24 input(s) found for this URL

### Inputs

Input scheme 1	
Input name	Input type
_	URL encoded GET
181bee69d16f4c8	URL encoded GET
cid	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
message	URL encoded GET
node	URL encoded GET

orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

### Input scheme 2

Input name	Input type
—	URL encoded GET
a451cb49ec70c2e	URL encoded GET
cid	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
message	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

[https://pulse:59980/nodes\\_services.php](https://pulse:59980/nodes_services.php)

No vulnerabilities have been identified for this URL

53 input(s) found for this URL

### Inputs

#### Input scheme 1

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET

#### Input scheme 2

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
2013b1582956c53	URL encoded POST
changepassword	URL encoded POST

#### Input scheme 3

Input name	Input type
71af0547deca579	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

#### Input scheme 4

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
2013b1582956c53	URL encoded POST

serviceidexec	URL encoded POST
servicenameexec	URL encoded POST
servicetypeexec	URL encoded POST

Input scheme 5	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 6	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
52d399227a26090	URL encoded POST
changepassword	URL encoded POST

Input scheme 7	
Input name	Input type
975276f5972b461	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

Input scheme 8	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
52d399227a26090	URL encoded POST
serviceidexec	URL encoded POST
servicenameexec	URL encoded POST
servicetypeexec	URL encoded POST

[https://pulse:59980/nodes\\_servicesjq.php](https://pulse:59980/nodes_servicesjq.php)  
 No vulnerabilities have been identified for this URL  
 24 input(s) found for this URL

### Inputs

Input scheme 1	
Input name	Input type
_	URL encoded GET
71af0547deca579	URL encoded GET
cid	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET

filter	URL encoded GET
message	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
-	URL encoded GET
975276f5972b461	URL encoded GET
cid	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
message	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

[https://pulse:59980/nodes\\_netstat.php](https://pulse:59980/nodes_netstat.php)  
 No vulnerabilities have been identified for this URL  
 55 input(s) found for this URL

### Inputs

Input scheme 1	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET

Input scheme 2	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
29c76253ba4f2d9	URL encoded POST
changepassword	URL encoded POST

Input scheme 3	
Input name	Input type
73a068013d782b6	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

Input scheme 4	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET

executorport	URL encoded GET
node	URL encoded GET
29c76253ba4f2d9	URL encoded POST
uninstallidprogram	URL encoded POST
uninstallnameprogram	URL encoded POST
uninstallprogramconf	URL encoded POST
uninstallversprogram	URL encoded POST

Input scheme 5	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 6	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
2298e6d2f4221fd	URL encoded POST
changepassword	URL encoded POST

Input scheme 7	
Input name	Input type
27d7800b555dd4e	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

Input scheme 8	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
2298e6d2f4221fd	URL encoded POST
uninstallidprogram	URL encoded POST
uninstallnameprogram	URL encoded POST
uninstallprogramconf	URL encoded POST
uninstallversprogram	URL encoded POST

**https://pulse:59980/nodes\_netstatjq.php**  
 No vulnerabilities have been identified for this URL  
 20 input(s) found for this URL

Inputs	
Input scheme 1	
Input name	Input type
-	URL encoded GET

73a068013d782b6	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
–	URL encoded GET
27d7800b555dd4e	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

**https://pulse:59980/nodes\_scheduler.php**  
 No vulnerabilities have been identified for this URL  
 56 input(s) found for this URL

### Inputs

Input scheme 1	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET

Input scheme 2	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
81efd8daa3a2f1e	URL encoded POST
changepassword	URL encoded POST

Input scheme 3	
Input name	Input type
9452a9cab1c8a53	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
osversion	URL encoded GET

Input scheme 4	
Input name	Input type



computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
81efd8daa3a2f1e	URL encoded POST
commandtaskname	URL encoded POST
commandtitletask	URL encoded POST
commandtype	URL encoded POST

#### Input scheme 5

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
osversion	URL encoded GET
page	URL encoded GET

#### Input scheme 6

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
5541e51f848024f	URL encoded POST
changepassword	URL encoded POST

#### Input scheme 7

Input name	Input type
b5c7788a618bcd9	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
osversion	URL encoded GET

#### Input scheme 8

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
5541e51f848024f	URL encoded POST
commandtaskname	URL encoded POST
commandtitletask	URL encoded POST
commandtype	URL encoded POST

[https://pulse:59980/nodes\\_schedulerjq.php](https://pulse:59980/nodes_schedulerjq.php)

No vulnerabilities have been identified for this URL

26 input(s) found for this URL

#### Inputs

Input scheme 1	
Input name	Input type
-	URL encoded GET
9452a9cab1c8a53	URL encoded GET
cid	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
message	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
osmver	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
-	URL encoded GET
b5c7788a618bcd9	URL encoded GET
cid	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
message	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
osmver	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

**https://pulse:59980/nodes\_eventviewer.php**  
 No vulnerabilities have been identified for this URL  
 37 input(s) found for this URL

### Inputs

Input scheme 1	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET

Input scheme 2	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
changepassword	URL encoded POST
fb7e094125b10a5	URL encoded POST

Input scheme 3	
Input name	Input type
259db1811013f36	URL encoded GET

computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

#### Input scheme 4

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

#### Input scheme 5

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
changepassword	URL encoded POST
f0b0cc0966753ae	URL encoded POST

#### Input scheme 6

Input name	Input type
99d068414750982	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

[https://pulse:59980/nodes\\_eventviewerjq.php](https://pulse:59980/nodes_eventviewerjq.php)

No vulnerabilities have been identified for this URL

20 input(s) found for this URL

#### Inputs

##### Input scheme 1

Input name	Input type
–	URL encoded GET
259db1811013f36	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

##### Input scheme 2

Input name	Input type
–	URL encoded GET

99d068414750982	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

<https://pulse:59980/nagios.php>

No vulnerabilities have been identified for this URL

13 input(s) found for this URL

### Inputs

#### Input scheme 1

Input name	Input type
610ec8df04c2f9f	URL encoded POST
changepassword	URL encoded POST

#### Input scheme 2

Input name	Input type
4258765c41ab762	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

#### Input scheme 3

Input name	Input type
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

#### Input scheme 4

Input name	Input type
b172856838fa292	URL encoded POST
changepassword	URL encoded POST

#### Input scheme 5

Input name	Input type
49fd38988be41e7	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

<https://pulse:59980/nagiosjq.php>

No vulnerabilities have been identified for this URL

16 input(s) found for this URL

### Inputs

#### Input scheme 1

Input name	Input type
_	URL encoded GET
4258765c41ab762	URL encoded GET
filter	URL encoded GET
nrpepathname	URL encoded GET
nscppathname	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
-	URL encoded GET
49fd38988be41e7	URL encoded GET
filter	URL encoded GET
nrpepathname	URL encoded GET
nscppathname	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

<https://pulse:59980/inventory.php>

No vulnerabilities have been identified for this URL

4 input(s) found for this URL

### Inputs

Input scheme 1	
Input name	Input type
32a16d54be57288	URL encoded POST
changepassword	URL encoded POST

Input scheme 2	
Input name	Input type
9cb0a65940ab209	URL encoded POST
changepassword	URL encoded POST

<https://pulse:59980/programs.php>

No vulnerabilities have been identified for this URL

23 input(s) found for this URL

### Inputs

Input scheme 1	
Input name	Input type
changepassword	URL encoded POST
daeb787e85f613c	URL encoded POST

Input scheme 2	
Input name	Input type
50915c241f849e3	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 3	
Input name	Input type
daeb787e85f613c	URL encoded POST
uninstallidprogram	URL encoded POST
uninstallnameprogram	URL encoded POST
uninstallprogramconf	URL encoded POST
uninstallversprogram	URL encoded POST

Input scheme 4	
Input name	Input type
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 5	
Input name	Input type

3dd8c640445c91a	URL encoded POST
changepassword	URL encoded POST

Input scheme 6	
Input name	Input type
d8d51d79469d3fe	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 7	
Input name	Input type
3dd8c640445c91a	URL encoded POST
uninstallidprogram	URL encoded POST
uninstallnameprogram	URL encoded POST
uninstallprogramconf	URL encoded POST
uninstallversprogram	URL encoded POST

**https://pulse:59980/programsjq.php**

No vulnerabilities have been identified for this URL

12 input(s) found for this URL

### Inputs

Input scheme 1	
Input name	Input type
-	URL encoded GET
50915c241f849e3	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
-	URL encoded GET
d8d51d79469d3fe	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

**https://pulse:59980/wmiexplorer.php**

No vulnerabilities have been identified for this URL

17 input(s) found for this URL

### Inputs

Input scheme 1	
Input name	Input type
18d5382cb09087e	URL encoded POST
changepassword	URL encoded POST

Input scheme 2	
Input name	Input type
c1a5da8e31f5004	URL encoded GET
filter	URL encoded GET
wmiclasses	URL encoded GET
wminamespace	URL encoded GET

Input scheme 3	
Input name	Input type
filter	URL encoded GET
lastfilter	URL encoded GET
page	URL encoded GET
wmiclasses	URL encoded GET
wminamespace	URL encoded GET

Input scheme 4	
Input name	Input type
56852d25a0e8899	URL encoded POST
changepassword	URL encoded POST

Input scheme 5	
Input name	Input type
f6585ab7f514a2e	URL encoded GET
filter	URL encoded GET
wmiclasses	URL encoded GET
wminamespace	URL encoded GET

**https://pulse:59980/wmiexplorerjq.php**  
 No vulnerabilities have been identified for this URL  
 16 input(s) found for this URL

### Inputs

Input scheme 1	
Input name	Input type
-	URL encoded GET
c1a5da8e31f5004	URL encoded GET
filter	URL encoded GET
lastfilter	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET
wmiclasses	URL encoded GET
wminamespace	URL encoded GET

Input scheme 2	
Input name	Input type
-	URL encoded GET
f6585ab7f514a2e	URL encoded GET
filter	URL encoded GET
lastfilter	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET
wmiclasses	URL encoded GET
wminamespace	URL encoded GET

**https://pulse:59980/shutdown.php**  
 No vulnerabilities have been identified for this URL  
 18 input(s) found for this URL

### Inputs

Input scheme 1	
Input name	Input type
6f203ca593bea55	URL encoded POST
changepassword	URL encoded POST

Input scheme 2	
Input name	Input type
6f203ca593bea55	URL encoded POST
shutdowncommand	URL encoded POST
shutdowndate	URL encoded POST
shutdowntime	URL encoded POST
shutdowntype	URL encoded POST

Input scheme 3	
Input name	Input type
6f203ca593bea55	URL encoded POST
toolssendcommand	URL encoded POST

Input scheme 4	
Input name	Input type
6626f6737e9ee0e	URL encoded POST
changepassword	URL encoded POST

Input scheme 5	
Input name	Input type
6626f6737e9ee0e	URL encoded POST
shutdowncommand	URL encoded POST
shutdowndate	URL encoded POST
shutdowntime	URL encoded POST
shutdowntype	URL encoded POST

Input scheme 6	
Input name	Input type
6626f6737e9ee0e	URL encoded POST
toolssendcommand	URL encoded POST

**https://pulse:59980/shutdownjq.php**  
 No vulnerabilities have been identified for this URL  
 4 input(s) found for this URL

### Inputs

Input scheme 1	
Input name	Input type
–	URL encoded GET
6bdc4700fb46e5c	URL encoded GET

Input scheme 2	
Input name	Input type
–	URL encoded GET
879478982f9abbb	URL encoded GET

**https://pulse:59980/processes.php**  
 No vulnerabilities have been identified for this URL  
 22 input(s) found for this URL

### Inputs

Input scheme 1	
Input name	Input type
6d1a5982cc7a445	URL encoded POST
changepassword	URL encoded POST

Input scheme 2	
Input name	Input type
41ef3ee3097f64b	URL encoded GET



filter	URL encoded GET
orderby	URL encoded GET

Input scheme 3	
Input name	Input type
6d1a5982cc7a445	URL encoded POST
endidprocess	URL encoded POST
endnameprocess	URL encoded POST
endtypeprocess	URL encoded POST

Input scheme 4	
Input name	Input type
cpucount	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 5	
Input name	Input type
c237c49f0d6c50e	URL encoded POST
changepassword	URL encoded POST

Input scheme 6	
Input name	Input type
5f94a8f92bb0561	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 7	
Input name	Input type
c237c49f0d6c50e	URL encoded POST
endidprocess	URL encoded POST
endnameprocess	URL encoded POST
endtypeprocess	URL encoded POST

<https://pulse:59980/processesjq.php>  
 No vulnerabilities have been identified for this URL  
 14 input(s) found for this URL

## Inputs

Input scheme 1	
Input name	Input type
-	URL encoded GET
41ef3ee3097f64b	URL encoded GET
cpucount	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
-	URL encoded GET
5f94a8f92bb0561	URL encoded GET
cpucount	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

phptimeout	URL encoded GET
------------	-----------------

**https://pulse:59980/services.php**

No vulnerabilities have been identified for this URL

21 input(s) found for this URL

**Inputs**

**Input scheme 1**

Input name	Input type
86acfd40125e08f	URL encoded POST
changepassword	URL encoded POST

**Input scheme 2**

Input name	Input type
816bcb22f14740c	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

**Input scheme 3**

Input name	Input type
86acfd40125e08f	URL encoded POST
serviceidexec	URL encoded POST
servicenameexec	URL encoded POST
servicetypeexec	URL encoded POST

**Input scheme 4**

Input name	Input type
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

**Input scheme 5**

Input name	Input type
4cbfa472deb02e3	URL encoded POST
changepassword	URL encoded POST

**Input scheme 6**

Input name	Input type
c5e501955a0e694	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

**Input scheme 7**

Input name	Input type
4cbfa472deb02e3	URL encoded POST
serviceidexec	URL encoded POST
servicenameexec	URL encoded POST
servicetypeexec	URL encoded POST

**https://pulse:59980/servicesjq.php**

No vulnerabilities have been identified for this URL

12 input(s) found for this URL

**Inputs**

**Input scheme 1**

Input name	Input type
-	URL encoded GET
816bcb22f14740c	URL encoded GET
filter	URL encoded GET

orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

#### Input scheme 2

Input name	Input type
–	URL encoded GET
c5e501955a0e694	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

<https://pulse:59980/netstat.php>

No vulnerabilities have been identified for this URL

21 input(s) found for this URL

#### Inputs

##### Input scheme 1

Input name	Input type
changepassword	URL encoded POST
d67610e803c6829	URL encoded POST

##### Input scheme 2

Input name	Input type
8a73a6c947e1213	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

##### Input scheme 3

Input name	Input type
commandtaskname	URL encoded POST
commandtitletask	URL encoded POST
commandtype	URL encoded POST
d67610e803c6829	URL encoded POST

##### Input scheme 4

Input name	Input type
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

##### Input scheme 5

Input name	Input type
76ba8869c6128d3	URL encoded POST
changepassword	URL encoded POST

##### Input scheme 6

Input name	Input type
0ab161e5c72a3cb	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

##### Input scheme 7

Input name	Input type
76ba8869c6128d3	URL encoded POST
commandtaskname	URL encoded POST
commandtitletask	URL encoded POST
commandtype	URL encoded POST

https://pulse:59980/netstatjq.php

No vulnerabilities have been identified for this URL

12 input(s) found for this URL

### Inputs

#### Input scheme 1

Input name	Input type
-	URL encoded GET
8a73a6c947e1213	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

#### Input scheme 2

Input name	Input type
-	URL encoded GET
0ab161e5c72a3cb	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

https://pulse:59980/scheduler.php

No vulnerabilities have been identified for this URL

21 input(s) found for this URL

### Inputs

#### Input scheme 1

Input name	Input type
872404d36d8d3e0	URL encoded POST
changepassword	URL encoded POST

#### Input scheme 2

Input name	Input type
525eecd78d7a3ee	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

#### Input scheme 3

Input name	Input type
872404d36d8d3e0	URL encoded POST
commandtaskname	URL encoded POST
commandtitletask	URL encoded POST
commandtype	URL encoded POST

#### Input scheme 4

Input name	Input type
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

#### Input scheme 5

Input name	Input type
changepassword	URL encoded POST
f8b6ab4ce92cc8c	URL encoded POST

Input scheme 6	
Input name	Input type
dd26ff2444ad3c4	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 7	
Input name	Input type
commandtaskname	URL encoded POST
commandtitletask	URL encoded POST
commandtype	URL encoded POST
f8b6ab4ce92cc8c	URL encoded POST

**https://pulse:59980/schedulerjq.php**  
 No vulnerabilities have been identified for this URL  
 14 input(s) found for this URL

### Inputs

Input scheme 1	
Input name	Input type
–	URL encoded GET
525eecd78d7a3ee	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
osmver	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
–	URL encoded GET
dd26ff2444ad3c4	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
osmver	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

**https://pulse:59980/eventviewer.php**  
 No vulnerabilities have been identified for this URL  
 13 input(s) found for this URL

### Inputs

Input scheme 1	
Input name	Input type
b9aebe7054003b3	URL encoded POST
changepassword	URL encoded POST

Input scheme 2	
Input name	Input type
1c677486971571a	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 3	
Input name	Input type
filter	URL encoded GET

orderby	URL encoded GET
page	URL encoded GET

Input scheme 4	
Input name	Input type
af4c7ee5e58045f	URL encoded POST
changepassword	URL encoded POST

Input scheme 5	
Input name	Input type
36249109f0e5fa6	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

<b>https://pulse:59980/eventviewerjq.php</b>	
No vulnerabilities have been identified for this URL	
12 input(s) found for this URL	

### Inputs

Input scheme 1	
Input name	Input type
_	URL encoded GET
1c677486971571a	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
_	URL encoded GET
36249109f0e5fa6	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

<b>https://pulse:59980/registry.php</b>	
No vulnerabilities have been identified for this URL	
30 input(s) found for this URL	

### Inputs

Input scheme 1	
Input name	Input type
b00400153fde3a7	URL encoded POST
changepassword	URL encoded POST

Input scheme 2	
Input name	Input type
b00400153fde3a7	URL encoded POST
regexportconf	URL encoded POST

Input scheme 3	
Input name	Input type
be7b6a059db3713	URL encoded GET
hkey	URL encoded GET

Input scheme 4	
Input name	Input type

be7b6a059db3713	URL encoded GET
filter	URL encoded GET
hkey	URL encoded GET
keypath	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET

#### Input scheme 5

Input name	Input type
filter	URL encoded GET
keypath	URL encoded GET
lastfilter	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

#### Input scheme 6

Input name	Input type
changepassword	URL encoded POST
e889816a0638bc2	URL encoded POST

#### Input scheme 7

Input name	Input type
e889816a0638bc2	URL encoded POST
regexportconf	URL encoded POST

#### Input scheme 8

Input name	Input type
34a65c5f86e6fdd	URL encoded GET
hkey	URL encoded GET

#### Input scheme 9

Input name	Input type
34a65c5f86e6fdd	URL encoded GET
filter	URL encoded GET
hkey	URL encoded GET
keypath	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET

<https://pulse:59980/registryjq.php>

No vulnerabilities have been identified for this URL

18 input(s) found for this URL

#### Inputs

##### Input scheme 1

Input name	Input type
-	URL encoded GET
be7b6a059db3713	URL encoded GET
filter	URL encoded GET
hkey	URL encoded GET
keypath	URL encoded GET
lastfilter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
-	URL encoded GET
34a65c5f86e6fdd	URL encoded GET
filter	URL encoded GET
hkey	URL encoded GET
keypath	URL encoded GET
lastfilter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

<https://pulse:59980/cli.php>

No vulnerabilities have been identified for this URL

18 input(s) found for this URL

### Inputs

Input scheme 1	
Input name	Input type
170b260a94220ad	URL encoded POST
changepassword	URL encoded POST

Input scheme 2	
Input name	Input type
170b260a94220ad	URL encoded POST
resetviewconf	URL encoded POST

Input scheme 3	
Input name	Input type
170b260a94220ad	URL encoded POST
cldrive	URL encoded POST
cltimeout	URL encoded POST
cmd	URL encoded POST
cmdmemlist	URL encoded POST

Input scheme 4	
Input name	Input type
changepassword	URL encoded POST
d0e02832ab4a728	URL encoded POST

Input scheme 5	
Input name	Input type
d0e02832ab4a728	URL encoded POST
resetviewconf	URL encoded POST

Input scheme 6	
Input name	Input type
cldrive	URL encoded POST
cltimeout	URL encoded POST
cmd	URL encoded POST
cmdmemlist	URL encoded POST
d0e02832ab4a728	URL encoded POST

<https://pulse:59980/explorer.php>

No vulnerabilities have been identified for this URL

31 input(s) found for this URL

### Inputs



Input scheme 1	
Input name	Input type
path	URL encoded GET

Input scheme 2	
Input name	Input type
64a7bd73df58438	URL encoded POST
changepassword	URL encoded POST

Input scheme 3	
Input name	Input type
64a7bd73df58438	URL encoded POST
openclidrive	URL encoded POST
openclipath	URL encoded POST

Input scheme 4	
Input name	Input type
7b35efdfcdf6589	URL encoded GET
path	URL encoded GET

Input scheme 5	
Input name	Input type
7b35efdfcdf6589	URL encoded GET
filter	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET
path	URL encoded GET

Input scheme 6	
Input name	Input type
filter	URL encoded GET
lastfilter	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
path	URL encoded GET

Input scheme 7	
Input name	Input type
1dc00018a31be32	URL encoded POST
changepassword	URL encoded POST

Input scheme 8	
Input name	Input type
1dc00018a31be32	URL encoded POST
openclidrive	URL encoded POST
openclipath	URL encoded POST

Input scheme 9	
Input name	Input type
daa74063f1e8fa6	URL encoded GET
path	URL encoded GET

Input scheme 10	
Input name	Input type
daa74063f1e8fa6	URL encoded GET
filter	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET

path	URL encoded GET
------	-----------------

<https://pulse:59980/explorerjq.php>

No vulnerabilities have been identified for this URL

45 input(s) found for this URL

## Inputs

Input scheme 1	
Input name	Input type
–	URL encoded GET
43171a50e2d2614	URL encoded GET
filter	URL encoded GET
lastfilter	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
path	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
–	URL encoded GET
7f17aba5e5c8bca	URL encoded GET
filter	URL encoded GET
lastfilter	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
path	URL encoded GET
phptimeout	URL encoded GET

Input scheme 3	
Input name	Input type
–	URL encoded GET
7b35efdfcdf6589	URL encoded GET
filter	URL encoded GET
lastfilter	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
path	URL encoded GET
phptimeout	URL encoded GET

Input scheme 4	
Input name	Input type
–	URL encoded GET
840dd4a4d2db950	URL encoded GET
filter	URL encoded GET
lastfilter	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
path	URL encoded GET
phptimeout	URL encoded GET

Input scheme 5	
Input name	Input type

-	URL encoded GET
daa74063f1e8fa6	URL encoded GET
filter	URL encoded GET
lastfilter	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
path	URL encoded GET
phptimeout	URL encoded GET

<https://pulse:59980/users.php>

No vulnerabilities have been identified for this URL

21 input(s) found for this URL

### Inputs

#### Input scheme 1

Input name	Input type
7f32df868948a8e	URL encoded POST
changepassword	URL encoded POST

#### Input scheme 2

Input name	Input type
	URL encoded POST
7f32df868948a8e	URL encoded POST
newaccount	URL encoded POST
newuserauth	URL encoded POST
newusername	URL encoded POST
newuserpsw	URL encoded POST
newuserpswc	URL encoded POST
newusertype	URL encoded POST

#### Input scheme 3

Input name	Input type
changegroup	URL encoded GET

#### Input scheme 4

Input name	Input type
03927dc420933e2	URL encoded POST
changepassword	URL encoded POST

#### Input scheme 5

Input name	Input type
	URL encoded POST
03927dc420933e2	URL encoded POST
newaccount	URL encoded POST
newuserauth	URL encoded POST
newusername	URL encoded POST
newuserpsw	URL encoded POST
newuserpswc	URL encoded POST
newusertype	URL encoded POST

<https://pulse:59980/audit.php>

No vulnerabilities have been identified for this URL

15 input(s) found for this URL

### Inputs

#### Input scheme 1

Input name	Input type
------------	------------

392d116c6bfd1d1	URL encoded POST
changepassword	URL encoded POST

Input scheme 2	
Input name	Input type
0920ccd2eae120d	URL encoded GET
file	URL encoded GET

Input scheme 3	
Input name	Input type
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 4	
Input name	Input type
	URL encoded GET
file	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 5	
Input name	Input type
a07c50c85f56b0b	URL encoded POST
changepassword	URL encoded POST

Input scheme 6	
Input name	Input type
2c4b299d8066c98	URL encoded GET
file	URL encoded GET

**https://pulse:59980/auditjq.php**

No vulnerabilities have been identified for this URL

14 input(s) found for this URL

## Inputs

Input scheme 1	
Input name	Input type
_	URL encoded GET
0920ccd2eae120d	URL encoded GET
file	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
svrrun	URL encoded GET

Input scheme 2	
Input name	Input type
_	URL encoded GET
2c4b299d8066c98	URL encoded GET
file	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
svrrun	URL encoded GET

https://pulse:59980/tail.php

No vulnerabilities have been identified for this URL

41 input(s) found for this URL

### Inputs

#### Input scheme 1

Input name	Input type
download	URL encoded GET
file	URL encoded GET
path	URL encoded GET

#### Input scheme 2

Input name	Input type
download	URL encoded GET
file	URL encoded GET
path	URL encoded GET
132ea0ed0727a88	URL encoded POST
changepassword	URL encoded POST

#### Input scheme 3

Input name	Input type
download	URL encoded GET
file	URL encoded GET
path	URL encoded GET
132ea0ed0727a88	URL encoded POST
openeditconf	URL encoded POST
tailoutput	URL encoded POST

#### Input scheme 4

Input name	Input type
download	URL encoded GET
file	URL encoded GET
path	URL encoded GET
132ea0ed0727a88	URL encoded POST
openeditconf	URL encoded POST

#### Input scheme 5

Input name	Input type
file	URL encoded GET
path	URL encoded GET

#### Input scheme 6

Input name	Input type
	URL encoded GET
download	URL encoded GET
file	URL encoded GET
path	URL encoded GET

#### Input scheme 7

Input name	Input type
download	URL encoded GET
file	URL encoded GET
path	URL encoded GET
a3115049a276a45	URL encoded POST
changepassword	URL encoded POST

#### Input scheme 8

Input name	Input type
------------	------------

download	URL encoded GET
file	URL encoded GET
path	URL encoded GET
a3115049a276a45	URL encoded POST
openeditconf	URL encoded POST
tailoutput	URL encoded POST

#### Input scheme 9

Input name	Input type
download	URL encoded GET
file	URL encoded GET
path	URL encoded GET
a3115049a276a45	URL encoded POST
openeditconf	URL encoded POST

#### https://pulse:59980/tailjq.php

No vulnerabilities have been identified for this URL

10 input(s) found for this URL

#### Inputs

##### Input scheme 1

Input name	Input type
–	URL encoded GET
7795f3c0f3385e5	URL encoded GET
file	URL encoded GET
openeditconf	URL encoded GET
path	URL encoded GET

##### Input scheme 2

Input name	Input type
–	URL encoded GET
8a7f12f5a59bf47	URL encoded GET
file	URL encoded GET
openeditconf	URL encoded GET
path	URL encoded GET

#### https://pulse:59980/7zip.php

No vulnerabilities have been identified for this URL

18 input(s) found for this URL

#### Inputs

##### Input scheme 1

Input name	Input type
download	URL encoded GET
file	URL encoded GET
name	URL encoded GET
path	URL encoded GET

##### Input scheme 2

Input name	Input type
download	URL encoded GET
file	URL encoded GET
name	URL encoded GET
path	URL encoded GET
acc6f4627e4d0b3	URL encoded POST
changepassword	URL encoded POST

Input scheme 3	
Input name	Input type
file	URL encoded GET
path	URL encoded GET

Input scheme 4	
Input name	Input type
download	URL encoded GET
file	URL encoded GET
name	URL encoded GET
path	URL encoded GET
023806f61b78653	URL encoded POST
changepassword	URL encoded POST

**https://pulse:59980/7zipjq.php**  
 No vulnerabilities have been identified for this URL  
 16 input(s) found for this URL

### Inputs

Input scheme 1	
Input name	Input type
-	URL encoded GET
7c5b7928957f918	URL encoded GET
extract	URL encoded GET
extractfolder	URL encoded GET
extractpass	URL encoded GET
file	URL encoded GET
lock	URL encoded GET
path	URL encoded GET

Input scheme 2	
Input name	Input type
-	URL encoded GET
1cc2b262087d2e4	URL encoded GET
extract	URL encoded GET
extractfolder	URL encoded GET
extractpass	URL encoded GET
file	URL encoded GET
lock	URL encoded GET
path	URL encoded GET

**https://pulse:59980/download.php**  
 No vulnerabilities have been identified for this URL  
 12 input(s) found for this URL

### Inputs

Input scheme 1	
Input name	Input type
7795f3c0f3385e5	URL encoded GET
download	URL encoded GET
path	URL encoded GET

Input scheme 2	
Input name	Input type
7c5b7928957f918	URL encoded GET
download	URL encoded GET
path	URL encoded GET

<b>Input scheme 3</b>	
Input name	Input type
8a7f12f5a59bf47	URL encoded GET
download	URL encoded GET
path	URL encoded GET

<b>Input scheme 4</b>	
Input name	Input type
1cc2b262087d2e4	URL encoded GET
download	URL encoded GET
path	URL encoded GET