



International Standard - ISO 27001:2013

~ compliance report ~

International Standard - ISO 27001:2013

compliance report

Description

ISO/IEC 27001 is an information security management system (ISMS) standard published in September 2013 by the International Organization for Standardization (ISO) and the International Electrotechnical Commission (IEC). Its full name is ISO/IEC 27001:2013 – Information technology – Security techniques – Information security management systems – Requirements.

The objective of this standard is to provide a model for establishing, implementing, operating, monitoring, reviewing, maintaining, and improving an Information Security Management System.

Disclaimer

This document or any of its content cannot account for, or be included in any form of legal advice. The outcome of a vulnerability scan (or security evaluation) should be utilized to ensure that diligent measures are taken to lower the risk of potential exploits carried out to compromise data.

Legal advice must be supplied according to its legal context. All laws and the environments in which they are applied, are constantly changed and revised. Therefore no information provided in this document may ever be used as an alternative to a qualified legal body or representative.

Scan

URL	https://pulse:59980/index.php
Scan date	07/01/2016 07:53:41
Duration	13 hours, 44 minutes
Profile	eurysco

Compliance at a Glance

This section of the report is a summary and lists the number of alerts found according to individual compliance categories.

- [Inventory of assets \(8.1.1\)](#)
 **No alerts in this category**
- [Handling of assets \(8.2.3\)](#)
 **No alerts in this category**
- [Access to networks and network services \(9.1.2\)](#)
 **No alerts in this category**
- [Management of privileged access rights \(9.2.3\)](#)
 **No alerts in this category**
- [Management of secret authentication information of users \(9.2.4\)](#)
 **No alerts in this category**
- [Use of secret authentication information \(9.3.1\)](#)
 **No alerts in this category**
- [Information access restriction \(9.4.1\)](#)
 **No alerts in this category**
- [Secure log-on procedures \(9.4.2\)](#)
 **No alerts in this category**
- [Password management system \(9.4.3\)](#)
 **No alerts in this category**

- Use of privileged utility programs (9.4.4)
✔ **No alerts in this category**
- Access control to program source code (9.4.5)
✔ **No alerts in this category**
- Separation of development, testing and operational environments (12.1.4)
✔ **No alerts in this category**
- Controls against malware (12.2.1)
✔ **No alerts in this category**
- Protection of log information (12.4.2)
✔ **No alerts in this category**
- Administrator and operator logs (12.4.3)
✔ **No alerts in this category**
- Installation of software on operational systems (12.5.1)
✔ **No alerts in this category**
- Security of network services (13.1.1)
✔ **No alerts in this category**
- Information transfer policies and procedures (13.2.1)
✔ **No alerts in this category**
- Electronic messaging (13.2.3)
✔ **No alerts in this category**
- Securing application services on public networks (14.1.2)
✔ **No alerts in this category**
- Protecting application services transactions (14.1.3)
✔ **No alerts in this category**
- Secure development policy (14.2.1)
✔ **No alerts in this category**
- Protection of test data (14.3.1)
✔ **No alerts in this category**
- Availability of information processing facilities (17.2.1)
✔ **No alerts in this category**
- Protection of records (18.1.3)
✔ **No alerts in this category**
- Privacy and protection of personally identifiable information (18.1.4)
✔ **No alerts in this category**
- Regulation of cryptographic controls (18.1.5)
✔ **No alerts in this category**

Compliance According to Categories: A Detailed Report

This section is a detailed report that explains each vulnerability found according to individual compliance categories.

(8.1.1) Inventory of assets

Assets associated with information and information processing facilities shall be identified and an inventory of these assets shall be drawn up and maintained.

No alerts in this category.

(8.2.3) Handling of assets

Procedures for handling assets shall be developed and implemented in accordance with the information classification scheme adopted by the organization.

No alerts in this category.

(9.1.2) Access to networks and network services

Users shall only be provided with access to the network and network services that they have been specifically authorized to use.

No alerts in this category.

(9.2.3) Management of privileged access rights

The allocation and use of privileged access rights shall be restricted and controlled.

No alerts in this category.

(9.2.4) Management of secret authentication information of users

The allocation of secret authentication information shall be controlled through a formal management process.

No alerts in this category.

(9.3.1) Use of secret authentication information

Users shall be required to follow the organization's practices in the use of secret authentication information.

No alerts in this category.

(9.4.1) Information access restriction

Access to information and application system functions shall be restricted in accordance with the access control policy.

No alerts in this category.

(9.4.2) Secure log-on procedures

Where required by the access control policy, access to systems and applications shall be controlled by a secure log-on procedure.

No alerts in this category.

(9.4.3) Password management system

Password management systems shall be interactive and shall ensure quality passwords.

No alerts in this category.

(9.4.4) Use of privileged utility programs

The use of utility programs that might be capable of overriding system and application controls shall be restricted and tightly controlled.

No alerts in this category.

(9.4.5) Access control to program source code

Access to program source code shall be restricted.

No alerts in this category.

(12.1.4) Separation of development, testing and operational environments

Development, testing, and operational environments shall be separated to reduce the risks of unauthorized access or changes to the operational environment.

No alerts in this category.

(12.2.1) Controls against malware

Detection, prevention and recovery controls to protect against malware shall be implemented, combined with appropriate user awareness.

No alerts in this category.

(12.4.2) Protection of log information

Logging facilities and log information shall be protected against tampering and unauthorized access.

No alerts in this category.

(12.4.3) Administrator and operator logs

System administrator and system operator activities shall be logged and the logs protected and regularly reviewed.

No alerts in this category.

(12.5.1) Installation of software on operational systems

Procedures shall be implemented to control the installation of software on operational systems.

No alerts in this category.

(13.1.1) Security of network services

Security mechanisms, service levels and management requirements of all network services shall be identified and included in network services agreements, whether these services are provided in-house or outsourced.

No alerts in this category.

(13.2.1) Information transfer policies and procedures

Formal transfer policies, procedures and controls shall be in place to protect the transfer of information through the use of all types of communication facilities.

No alerts in this category.

(13.2.3) Electronic messaging

Information involved in electronic messaging shall be appropriately protected.

No alerts in this category.

(14.1.2) Securing application services on public networks

Information involved in application services passing over public networks shall be protected from fraudulent activity, contract dispute and unauthorized disclosure and modification.

No alerts in this category.

(14.1.3) Protecting application services transactions

Information involved in application service transactions shall be protected to prevent incomplete transmission, mis-routing, unauthorized message alteration, unauthorized disclosure, unauthorized message duplication or replay.

No alerts in this category.

(14.2.1) Secure development policy

Rules for the development of software and systems shall be established and applied to developments within the organization.

No alerts in this category.

(14.3.1) Protection of test data

Test data shall be selected carefully, protected and controlled.

No alerts in this category.

(17.2.1) Availability of information processing facilities

Information processing facilities shall be implemented with redundancy sufficient to meet availability requirements.

No alerts in this category.

(18.1.3) Protection of records

Records shall be protected from loss, destruction, falsification, unauthorized access and unauthorized release, in accordance with legislative, regulatory, contractual and business requirements.

No alerts in this category.

(18.1.4) Privacy and protection of personally identifiable information

Privacy and protection of personally identifiable information shall be ensured as required in relevant legislation and regulation where applicable.

No alerts in this category.

(18.1.5) Regulation of cryptographic controls

Cryptographic controls shall be used in compliance with all relevant agreements, legislation and regulations.

No alerts in this category.

Scanned items (coverage report)

https://pulse:59980/

No vulnerabilities have been identified for this URL

4 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
8850a96d6ce5608	URL encoded POST
changepassword	URL encoded POST

Input scheme 2

Input name	Input type
74efab27c34c8b6	URL encoded POST
changepassword	URL encoded POST

https://pulse:59980/index.php

No vulnerabilities have been identified for this URL

7 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
6444fc169591f55	URL encoded POST
changepassword	URL encoded POST

Input scheme 2

Input name	Input type
7ba456c9183076d	URL encoded POST
changepassword	URL encoded POST

Input scheme 3

Input name	Input type
acda8cbde4da6df	URL encoded POST
changepassword	URL encoded POST

Input scheme 4

Input name	Input type
Host	HTTP Header

https://pulse:59980/autosuggest

No vulnerabilities have been identified for this URL

No input(s) found for this URL

https://pulse:59980/autosuggest/js

No vulnerabilities have been identified for this URL

No input(s) found for this URL

https://pulse:59980/autosuggest/js/bsn.autosuggest_2.1.3.js

No vulnerabilities have been identified for this URL

No input(s) found for this URL

https://pulse:59980/js

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/assets>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/assets/jquery-2.1.4.min.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/assets/jquery.mousewheel.min.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/assets/moment.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/assets/jquery.timeentry.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/modern>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/modern/dropdown.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/modern/accordion.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/modern/buttonset.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/modern/input-control.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/modern/pagecontrol.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/modern/calendar.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/modern/dialog.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/modern/pagelist.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/plupload>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/plupload/js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/plupload/js/plupload.full.min.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/systemjq.php>

No vulnerabilities have been identified for this URL

30 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
-	URL encoded GET
009de6f2dffe343	URL encoded GET
domain	URL encoded GET
manufacturer	URL encoded GET
model	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2

Input name	Input type
-	URL encoded GET
5c894195fab04a7	URL encoded GET
domain	URL encoded GET
manufacturer	URL encoded GET
model	URL encoded GET
phptimeout	URL encoded GET

Input scheme 3

Input name	Input type
-	URL encoded GET
b2bd8ca06f16034	URL encoded GET
domain	URL encoded GET
manufacturer	URL encoded GET
model	URL encoded GET
phptimeout	URL encoded GET

Input scheme 4

Input name	Input type
-	URL encoded GET
4ecbc2ad8e61dcb	URL encoded GET
domain	URL encoded GET
manufacturer	URL encoded GET
model	URL encoded GET
phptimeout	URL encoded GET

Input scheme 5

Input name	Input type
-	URL encoded GET
a23f7a680876e30	URL encoded GET

domain	URL encoded GET
manufacturer	URL encoded GET
model	URL encoded GET
phptimeout	URL encoded GET

https://pulse:59980/about.php

No vulnerabilities have been identified for this URL

4 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
changepassword	URL encoded POST
eb6abd5a03fd49f	URL encoded POST

Input scheme 2

Input name	Input type
changepassword	URL encoded POST
de8c9c86cbc0e74	URL encoded POST

https://pulse:59980/core.php

No vulnerabilities have been identified for this URL

26 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
a289c96c5a038f9	URL encoded POST
changepassword	URL encoded POST

Input scheme 2

Input name	Input type
	URL encoded POST
a289c96c5a038f9	URL encoded POST
corelisteningport	URL encoded POST
corephpport	URL encoded POST
coreservicedisplayname	URL encoded POST
coreservicelogonas	URL encoded POST
coreservicename	URL encoded POST
coreservicestartuptype	URL encoded POST
coretrustedcertificate	URL encoded POST
deleteconfiguration	URL encoded POST
submitform	URL encoded POST

Input scheme 3

Input name	Input type
5a8ca4470b5ad4b	URL encoded POST
changepassword	URL encoded POST

Input scheme 4

Input name	Input type
	URL encoded POST
5a8ca4470b5ad4b	URL encoded POST
corelisteningport	URL encoded POST
corephpport	URL encoded POST
coreservicedisplayname	URL encoded POST
coreservicelogonas	URL encoded POST
coreservicename	URL encoded POST

coreservicestartuptype	URL encoded POST
coretrustedcertificate	URL encoded POST
deleteconfiguration	URL encoded POST
submitform	URL encoded POST

<https://pulse:59980/nodes.php>

No vulnerabilities have been identified for this URL

57 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
4c13f3b08e0b965	URL encoded POST
changepassword	URL encoded POST

Input scheme 2

Input name	Input type
1890d4483f8a393	URL encoded GET
find	URL encoded GET
findtype	URL encoded GET
orderby	URL encoded GET

Input scheme 3

Input name	Input type
1890d4483f8a393	URL encoded GET
find	URL encoded GET
findtype	URL encoded GET
metering	URL encoded GET
orderby	URL encoded GET

Input scheme 4

Input name	Input type
1890d4483f8a393	URL encoded GET
remmetering	URL encoded GET
remmeteringname	URL encoded GET

Input scheme 5

Input name	Input type
4c13f3b08e0b965	URL encoded POST
removedeploy	URL encoded POST

Input scheme 6

Input name	Input type
4c13f3b08e0b965	URL encoded POST
confirmdeploy	URL encoded POST

Input scheme 7

Input name	Input type
4c13f3b08e0b965	URL encoded POST
agentrefresh	URL encoded POST

Input scheme 8

Input name	Input type
4c13f3b08e0b965	URL encoded POST
cmd	URL encoded POST
find	URL encoded POST
findtype	URL encoded POST
orderby	URL encoded POST

Input scheme 9	
Input name	Input type
find	URL encoded GET
findtype	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
results	URL encoded GET

Input scheme 10	
Input name	Input type
find	URL encoded GET
findtype	URL encoded GET

Input scheme 11	
Input name	Input type
changepassword	URL encoded POST
ed89df0d8109b99	URL encoded POST

Input scheme 12	
Input name	Input type
9cc435848440980	URL encoded GET
find	URL encoded GET
findtype	URL encoded GET
orderby	URL encoded GET

Input scheme 13	
Input name	Input type
9cc435848440980	URL encoded GET
find	URL encoded GET
findtype	URL encoded GET
metering	URL encoded GET
orderby	URL encoded GET

Input scheme 14	
Input name	Input type
9cc435848440980	URL encoded GET
remmetering	URL encoded GET
remmeteringname	URL encoded GET

Input scheme 15	
Input name	Input type
ed89df0d8109b99	URL encoded POST
removedeploy	URL encoded POST

Input scheme 16	
Input name	Input type
confirmdeploy	URL encoded POST
ed89df0d8109b99	URL encoded POST

Input scheme 17	
Input name	Input type
agentrefresh	URL encoded POST
ed89df0d8109b99	URL encoded POST

Input scheme 18	
Input name	Input type
cmd	URL encoded POST
ed89df0d8109b99	URL encoded POST
find	URL encoded POST

findtype	URL encoded POST
orderby	URL encoded POST

https://pulse:59980/nodesjq.php

No vulnerabilities have been identified for this URL

18 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
–	URL encoded GET
1890d4483f8a393	URL encoded GET
confirmdeploy	URL encoded GET
find	URL encoded GET
findtype	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET
results	URL encoded GET

Input scheme 2

Input name	Input type
–	URL encoded GET
9cc435848440980	URL encoded GET
confirmdeploy	URL encoded GET
find	URL encoded GET
findtype	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET
results	URL encoded GET

https://pulse:59980/xml.php

No vulnerabilities have been identified for this URL

12 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
1890d4483f8a393	URL encoded GET
export	URL encoded GET
source	URL encoded GET

Input scheme 2

Input name	Input type
export	URL encoded GET
f22fe6d757316f7	URL encoded GET
source	URL encoded GET

Input scheme 3

Input name	Input type
9cc435848440980	URL encoded GET
export	URL encoded GET
source	URL encoded GET

Input scheme 4

Input name	Input type
6219157ab0a5545	URL encoded GET

export	URL encoded GET
source	URL encoded GET

https://pulse:59980/nodes_nagios.php

No vulnerabilities have been identified for this URL

37 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET

Input scheme 2

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
changepassword	URL encoded POST
f6e686c385649cf	URL encoded POST

Input scheme 3

Input name	Input type
b79a926245ba467	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

Input scheme 4

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 5

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
b6f2c07ffb4fae9	URL encoded POST
changepassword	URL encoded POST

Input scheme 6

Input name	Input type
b118d5f357ce28b	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET

executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

https://pulse:59980/nodes_nagiosjq.php

No vulnerabilities have been identified for this URL

20 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
-	URL encoded GET
b79a926245ba467	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2

Input name	Input type
-	URL encoded GET
b118d5f357ce28b	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

https://pulse:59980/nodes_inventory.php

No vulnerabilities have been identified for this URL

16 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET

Input scheme 2

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
b78f1bc917b24b8	URL encoded POST
changepassword	URL encoded POST

Input scheme 3	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
6fa327741c0d3b8	URL encoded POST
changepassword	URL encoded POST

https://pulse:59980/nodes_programs.php

No vulnerabilities have been identified for this URL

55 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET

Input scheme 2	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
13a19ff57c34b2e	URL encoded POST
changepassword	URL encoded POST

Input scheme 3	
Input name	Input type
479b221ad685d1b	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

Input scheme 4	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
13a19ff57c34b2e	URL encoded POST
uninstallidprogram	URL encoded POST
uninstallnameprogram	URL encoded POST
uninstallprogramconf	URL encoded POST
uninstallversprogram	URL encoded POST

Input scheme 5	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET

filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 6

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
6af335d9e7e58e3	URL encoded POST
changepassword	URL encoded POST

Input scheme 7

Input name	Input type
computerip	URL encoded GET
d01d663ec78f3e8	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

Input scheme 8

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
6af335d9e7e58e3	URL encoded POST
uninstallidprogram	URL encoded POST
uninstallnameprogram	URL encoded POST
uninstallprogramconf	URL encoded POST
uninstallversprogram	URL encoded POST

https://pulse:59980/nodes_programsjq.php

No vulnerabilities have been identified for this URL

24 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
—	URL encoded GET
479b221ad685d1b	URL encoded GET
cid	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
message	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
-	URL encoded GET
cid	URL encoded GET
computerip	URL encoded GET
d01d663ec78f3e8	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
message	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

https://pulse:59980/nodes_processes.php

No vulnerabilities have been identified for this URL

53 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET

Input scheme 2	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
34b390859b6adca	URL encoded POST
changepassword	URL encoded POST

Input scheme 3	
Input name	Input type
181bee69d16f4c8	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

Input scheme 4	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
34b390859b6adca	URL encoded POST
endidprocess	URL encoded POST
endnameprocess	URL encoded POST
endtypeprocess	URL encoded POST

Input scheme 5	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 6	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
cd168b53c47fd12	URL encoded POST
changepassword	URL encoded POST

Input scheme 7	
Input name	Input type
a451cb49ec70c2e	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

Input scheme 8	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
cd168b53c47fd12	URL encoded POST
endidprocess	URL encoded POST
endnameprocess	URL encoded POST
endtypeprocess	URL encoded POST

https://pulse:59980/nodes_processesjq.php
 No vulnerabilities have been identified for this URL
 24 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
_	URL encoded GET
181bee69d16f4c8	URL encoded GET
cid	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
message	URL encoded GET
node	URL encoded GET

orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2

Input name	Input type
—	URL encoded GET
a451cb49ec70c2e	URL encoded GET
cid	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
message	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

https://pulse:59980/nodes_services.php

No vulnerabilities have been identified for this URL

53 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET

Input scheme 2

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
2013b1582956c53	URL encoded POST
changepassword	URL encoded POST

Input scheme 3

Input name	Input type
71af0547deca579	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

Input scheme 4

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
2013b1582956c53	URL encoded POST

serviceidexec	URL encoded POST
servicenameexec	URL encoded POST
servicetypeexec	URL encoded POST

Input scheme 5

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 6

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
52d399227a26090	URL encoded POST
changepassword	URL encoded POST

Input scheme 7

Input name	Input type
975276f5972b461	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

Input scheme 8

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
52d399227a26090	URL encoded POST
serviceidexec	URL encoded POST
servicenameexec	URL encoded POST
servicetypeexec	URL encoded POST

https://pulse:59980/nodes_servicesjq.php

No vulnerabilities have been identified for this URL

24 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
_	URL encoded GET
71af0547deca579	URL encoded GET
cid	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET

filter	URL encoded GET
message	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2

Input name	Input type
–	URL encoded GET
975276f5972b461	URL encoded GET
cid	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
message	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

https://pulse:59980/nodes_netstat.php

No vulnerabilities have been identified for this URL

55 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET

Input scheme 2

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
29c76253ba4f2d9	URL encoded POST
changepassword	URL encoded POST

Input scheme 3

Input name	Input type
73a068013d782b6	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

Input scheme 4

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET

executorport	URL encoded GET
node	URL encoded GET
29c76253ba4f2d9	URL encoded POST
uninstallidprogram	URL encoded POST
uninstallnameprogram	URL encoded POST
uninstallprogramconf	URL encoded POST
uninstallversprogram	URL encoded POST

Input scheme 5

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 6

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
2298e6d2f4221fd	URL encoded POST
changepassword	URL encoded POST

Input scheme 7

Input name	Input type
27d7800b555dd4e	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

Input scheme 8

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
2298e6d2f4221fd	URL encoded POST
uninstallidprogram	URL encoded POST
uninstallnameprogram	URL encoded POST
uninstallprogramconf	URL encoded POST
uninstallversprogram	URL encoded POST

https://pulse:59980/nodes_netstatjq.php

No vulnerabilities have been identified for this URL

20 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
-	URL encoded GET

73a068013d782b6	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2

Input name	Input type
–	URL encoded GET
27d7800b555dd4e	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

https://pulse:59980/nodes_scheduler.php

No vulnerabilities have been identified for this URL

56 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET

Input scheme 2

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
81efd8daa3a2f1e	URL encoded POST
changepassword	URL encoded POST

Input scheme 3

Input name	Input type
9452a9cab1c8a53	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
osversion	URL encoded GET

Input scheme 4

Input name	Input type
------------	------------

computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
81efd8daa3a2f1e	URL encoded POST
commandtaskname	URL encoded POST
commandtitletask	URL encoded POST
commandtype	URL encoded POST

Input scheme 5

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
osversion	URL encoded GET
page	URL encoded GET

Input scheme 6

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
5541e51f848024f	URL encoded POST
changepassword	URL encoded POST

Input scheme 7

Input name	Input type
b5c7788a618bcd9	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
osversion	URL encoded GET

Input scheme 8

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
5541e51f848024f	URL encoded POST
commandtaskname	URL encoded POST
commandtitletask	URL encoded POST
commandtype	URL encoded POST

https://pulse:59980/nodes_schedulerjq.php

No vulnerabilities have been identified for this URL

26 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
-	URL encoded GET
9452a9cab1c8a53	URL encoded GET
cid	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
message	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
osmver	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
-	URL encoded GET
b5c7788a618bcd9	URL encoded GET
cid	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
message	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
osmver	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

https://pulse:59980/nodes_eventviewer.php
 No vulnerabilities have been identified for this URL
 37 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET

Input scheme 2	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
changepassword	URL encoded POST
fb7e094125b10a5	URL encoded POST

Input scheme 3	
Input name	Input type
259db1811013f36	URL encoded GET

computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

Input scheme 4

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 5

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
changepassword	URL encoded POST
f0b0cc0966753ae	URL encoded POST

Input scheme 6

Input name	Input type
99d068414750982	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

https://pulse:59980/nodes_eventviewerjq.php

No vulnerabilities have been identified for this URL

20 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
—	URL encoded GET
259db1811013f36	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2

Input name	Input type
—	URL encoded GET

99d068414750982	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

<https://pulse:59980/nagios.php>

No vulnerabilities have been identified for this URL

13 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
610ec8df04c2f9f	URL encoded POST
changepassword	URL encoded POST

Input scheme 2

Input name	Input type
4258765c41ab762	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 3

Input name	Input type
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 4

Input name	Input type
b172856838fa292	URL encoded POST
changepassword	URL encoded POST

Input scheme 5

Input name	Input type
49fd38988be41e7	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

<https://pulse:59980/nagiosjq.php>

No vulnerabilities have been identified for this URL

16 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
_	URL encoded GET
4258765c41ab762	URL encoded GET
filter	URL encoded GET
nrpepathname	URL encoded GET
nscppathname	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
-	URL encoded GET
49fd38988be41e7	URL encoded GET
filter	URL encoded GET
nrpepathname	URL encoded GET
nscppathname	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

<https://pulse:59980/inventory.php>

No vulnerabilities have been identified for this URL

4 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
32a16d54be57288	URL encoded POST
changepassword	URL encoded POST

Input scheme 2	
Input name	Input type
9cb0a65940ab209	URL encoded POST
changepassword	URL encoded POST

<https://pulse:59980/programs.php>

No vulnerabilities have been identified for this URL

23 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
changepassword	URL encoded POST
daeb787e85f613c	URL encoded POST

Input scheme 2	
Input name	Input type
50915c241f849e3	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 3	
Input name	Input type
daeb787e85f613c	URL encoded POST
uninstallidprogram	URL encoded POST
uninstallnameprogram	URL encoded POST
uninstallprogramconf	URL encoded POST
uninstallversprogram	URL encoded POST

Input scheme 4	
Input name	Input type
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 5	
Input name	Input type

3dd8c640445c91a	URL encoded POST
changepassword	URL encoded POST

Input scheme 6	
Input name	Input type
d8d51d79469d3fe	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 7	
Input name	Input type
3dd8c640445c91a	URL encoded POST
uninstallidprogram	URL encoded POST
uninstallnameprogram	URL encoded POST
uninstallprogramconf	URL encoded POST
uninstallversprogram	URL encoded POST

https://pulse:59980/programsjq.php
 No vulnerabilities have been identified for this URL
 12 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
-	URL encoded GET
50915c241f849e3	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
-	URL encoded GET
d8d51d79469d3fe	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

https://pulse:59980/wmiexplorer.php
 No vulnerabilities have been identified for this URL
 17 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
18d5382cb09087e	URL encoded POST
changepassword	URL encoded POST

Input scheme 2	
Input name	Input type
c1a5da8e31f5004	URL encoded GET
filter	URL encoded GET
wmiclasses	URL encoded GET
wminamespace	URL encoded GET

Input scheme 3	
Input name	Input type
filter	URL encoded GET
lastfilter	URL encoded GET
page	URL encoded GET
wmiclasses	URL encoded GET
wminamespace	URL encoded GET

Input scheme 4	
Input name	Input type
56852d25a0e8899	URL encoded POST
changepassword	URL encoded POST

Input scheme 5	
Input name	Input type
f6585ab7f514a2e	URL encoded GET
filter	URL encoded GET
wmiclasses	URL encoded GET
wminamespace	URL encoded GET

https://pulse:59980/wmiexplorerjq.php
 No vulnerabilities have been identified for this URL
 16 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
-	URL encoded GET
c1a5da8e31f5004	URL encoded GET
filter	URL encoded GET
lastfilter	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET
wmiclasses	URL encoded GET
wminamespace	URL encoded GET

Input scheme 2	
Input name	Input type
-	URL encoded GET
f6585ab7f514a2e	URL encoded GET
filter	URL encoded GET
lastfilter	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET
wmiclasses	URL encoded GET
wminamespace	URL encoded GET

https://pulse:59980/shutdown.php
 No vulnerabilities have been identified for this URL
 18 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
6f203ca593bea55	URL encoded POST
changepassword	URL encoded POST

Input scheme 2	
Input name	Input type
6f203ca593bea55	URL encoded POST
shutdowncommand	URL encoded POST
shutdowndate	URL encoded POST
shutdowntime	URL encoded POST
shutdowntype	URL encoded POST

Input scheme 3	
Input name	Input type
6f203ca593bea55	URL encoded POST
toolssendcommand	URL encoded POST

Input scheme 4	
Input name	Input type
6626f6737e9ee0e	URL encoded POST
changepassword	URL encoded POST

Input scheme 5	
Input name	Input type
6626f6737e9ee0e	URL encoded POST
shutdowncommand	URL encoded POST
shutdowndate	URL encoded POST
shutdowntime	URL encoded POST
shutdowntype	URL encoded POST

Input scheme 6	
Input name	Input type
6626f6737e9ee0e	URL encoded POST
toolssendcommand	URL encoded POST

https://pulse:59980/shutdownjq.php
 No vulnerabilities have been identified for this URL
 4 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
–	URL encoded GET
6bdc4700fb46e5c	URL encoded GET

Input scheme 2	
Input name	Input type
–	URL encoded GET
879478982f9abbb	URL encoded GET

https://pulse:59980/processes.php
 No vulnerabilities have been identified for this URL
 22 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
6d1a5982cc7a445	URL encoded POST
changepassword	URL encoded POST

Input scheme 2	
Input name	Input type
41ef3ee3097f64b	URL encoded GET

filter	URL encoded GET
orderby	URL encoded GET

Input scheme 3	
Input name	Input type
6d1a5982cc7a445	URL encoded POST
endidprocess	URL encoded POST
endnameprocess	URL encoded POST
endtypeprocess	URL encoded POST

Input scheme 4	
Input name	Input type
cpucount	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 5	
Input name	Input type
c237c49f0d6c50e	URL encoded POST
changepassword	URL encoded POST

Input scheme 6	
Input name	Input type
5f94a8f92bb0561	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 7	
Input name	Input type
c237c49f0d6c50e	URL encoded POST
endidprocess	URL encoded POST
endnameprocess	URL encoded POST
endtypeprocess	URL encoded POST

<https://pulse:59980/processesjq.php>

No vulnerabilities have been identified for this URL

14 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
-	URL encoded GET
41ef3ee3097f64b	URL encoded GET
cpucount	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
-	URL encoded GET
5f94a8f92bb0561	URL encoded GET
cpucount	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

phptimeout	URL encoded GET
------------	-----------------

https://pulse:59980/services.php

No vulnerabilities have been identified for this URL

21 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
86acfd40125e08f	URL encoded POST
changepassword	URL encoded POST

Input scheme 2

Input name	Input type
816bcb22f14740c	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 3

Input name	Input type
86acfd40125e08f	URL encoded POST
serviceidexec	URL encoded POST
servicenameexec	URL encoded POST
servicetypeexec	URL encoded POST

Input scheme 4

Input name	Input type
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 5

Input name	Input type
4cbfa472deb02e3	URL encoded POST
changepassword	URL encoded POST

Input scheme 6

Input name	Input type
c5e501955a0e694	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 7

Input name	Input type
4cbfa472deb02e3	URL encoded POST
serviceidexec	URL encoded POST
servicenameexec	URL encoded POST
servicetypeexec	URL encoded POST

https://pulse:59980/servicesjq.php

No vulnerabilities have been identified for this URL

12 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
-	URL encoded GET
816bcb22f14740c	URL encoded GET
filter	URL encoded GET

orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
—	URL encoded GET
c5e501955a0e694	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

<https://pulse:59980/netstat.php>
 No vulnerabilities have been identified for this URL
 21 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
changepassword	URL encoded POST
d67610e803c6829	URL encoded POST

Input scheme 2	
Input name	Input type
8a73a6c947e1213	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 3	
Input name	Input type
commandtaskname	URL encoded POST
commandtitletask	URL encoded POST
commandtype	URL encoded POST
d67610e803c6829	URL encoded POST

Input scheme 4	
Input name	Input type
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 5	
Input name	Input type
76ba8869c6128d3	URL encoded POST
changepassword	URL encoded POST

Input scheme 6	
Input name	Input type
0ab161e5c72a3cb	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 7	
Input name	Input type
76ba8869c6128d3	URL encoded POST
commandtaskname	URL encoded POST
commandtitletask	URL encoded POST
commandtype	URL encoded POST

https://pulse:59980/netstatjq.php

No vulnerabilities have been identified for this URL

12 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
-	URL encoded GET
8a73a6c947e1213	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2

Input name	Input type
-	URL encoded GET
0ab161e5c72a3cb	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

https://pulse:59980/scheduler.php

No vulnerabilities have been identified for this URL

21 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
872404d36d8d3e0	URL encoded POST
changepassword	URL encoded POST

Input scheme 2

Input name	Input type
525eecd78d7a3ee	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 3

Input name	Input type
872404d36d8d3e0	URL encoded POST
commandtaskname	URL encoded POST
commandtitletask	URL encoded POST
commandtype	URL encoded POST

Input scheme 4

Input name	Input type
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 5

Input name	Input type
changepassword	URL encoded POST
f8b6ab4ce92cc8c	URL encoded POST

Input scheme 6	
Input name	Input type
dd26ff2444ad3c4	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 7	
Input name	Input type
commandtaskname	URL encoded POST
commandtitletask	URL encoded POST
commandtype	URL encoded POST
f8b6ab4ce92cc8c	URL encoded POST

https://pulse:59980/schedulerjq.php	
No vulnerabilities have been identified for this URL	
14 input(s) found for this URL	

Inputs

Input scheme 1	
Input name	Input type
–	URL encoded GET
525eecd78d7a3ee	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
osmver	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
–	URL encoded GET
dd26ff2444ad3c4	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
osmver	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

https://pulse:59980/eventviewer.php	
No vulnerabilities have been identified for this URL	
13 input(s) found for this URL	

Inputs

Input scheme 1	
Input name	Input type
b9aebe7054003b3	URL encoded POST
changepassword	URL encoded POST

Input scheme 2	
Input name	Input type
1c677486971571a	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 3	
Input name	Input type
filter	URL encoded GET

orderby	URL encoded GET
page	URL encoded GET

Input scheme 4	
Input name	Input type
af4c7ee5e58045f	URL encoded POST
changepassword	URL encoded POST

Input scheme 5	
Input name	Input type
36249109f0e5fa6	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

https://pulse:59980/eventviewerjq.php	
No vulnerabilities have been identified for this URL	
12 input(s) found for this URL	

Inputs

Input scheme 1	
Input name	Input type
_	URL encoded GET
1c677486971571a	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
_	URL encoded GET
36249109f0e5fa6	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

https://pulse:59980/registry.php	
No vulnerabilities have been identified for this URL	
30 input(s) found for this URL	

Inputs

Input scheme 1	
Input name	Input type
b00400153fde3a7	URL encoded POST
changepassword	URL encoded POST

Input scheme 2	
Input name	Input type
b00400153fde3a7	URL encoded POST
regexportconf	URL encoded POST

Input scheme 3	
Input name	Input type
be7b6a059db3713	URL encoded GET
hkey	URL encoded GET

Input scheme 4	
Input name	Input type

be7b6a059db3713	URL encoded GET
filter	URL encoded GET
hkey	URL encoded GET
keypath	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET

Input scheme 5

Input name	Input type
filter	URL encoded GET
keypath	URL encoded GET
lastfilter	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 6

Input name	Input type
changepassword	URL encoded POST
e889816a0638bc2	URL encoded POST

Input scheme 7

Input name	Input type
e889816a0638bc2	URL encoded POST
regexportconf	URL encoded POST

Input scheme 8

Input name	Input type
34a65c5f86e6fdd	URL encoded GET
hkey	URL encoded GET

Input scheme 9

Input name	Input type
34a65c5f86e6fdd	URL encoded GET
filter	URL encoded GET
hkey	URL encoded GET
keypath	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET

<https://pulse:59980/registryjq.php>

No vulnerabilities have been identified for this URL

18 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
-	URL encoded GET
be7b6a059db3713	URL encoded GET
filter	URL encoded GET
hkey	URL encoded GET
keypath	URL encoded GET
lastfilter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
–	URL encoded GET
34a65c5f86e6fdd	URL encoded GET
filter	URL encoded GET
hkey	URL encoded GET
keypath	URL encoded GET
lastfilter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

<https://pulse:59980/cli.php>

No vulnerabilities have been identified for this URL

18 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
170b260a94220ad	URL encoded POST
changepassword	URL encoded POST

Input scheme 2	
Input name	Input type
170b260a94220ad	URL encoded POST
resetviewconf	URL encoded POST

Input scheme 3	
Input name	Input type
170b260a94220ad	URL encoded POST
cldrive	URL encoded POST
cltimeout	URL encoded POST
cmd	URL encoded POST
cmdmemlist	URL encoded POST

Input scheme 4	
Input name	Input type
changepassword	URL encoded POST
d0e02832ab4a728	URL encoded POST

Input scheme 5	
Input name	Input type
d0e02832ab4a728	URL encoded POST
resetviewconf	URL encoded POST

Input scheme 6	
Input name	Input type
cldrive	URL encoded POST
cltimeout	URL encoded POST
cmd	URL encoded POST
cmdmemlist	URL encoded POST
d0e02832ab4a728	URL encoded POST

<https://pulse:59980/explorer.php>

No vulnerabilities have been identified for this URL

31 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
path	URL encoded GET

Input scheme 2	
Input name	Input type
64a7bd73df58438	URL encoded POST
changepassword	URL encoded POST

Input scheme 3	
Input name	Input type
64a7bd73df58438	URL encoded POST
openclidrive	URL encoded POST
openclipath	URL encoded POST

Input scheme 4	
Input name	Input type
7b35efdfcdf6589	URL encoded GET
path	URL encoded GET

Input scheme 5	
Input name	Input type
7b35efdfcdf6589	URL encoded GET
filter	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET
path	URL encoded GET

Input scheme 6	
Input name	Input type
filter	URL encoded GET
lastfilter	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
path	URL encoded GET

Input scheme 7	
Input name	Input type
1dc00018a31be32	URL encoded POST
changepassword	URL encoded POST

Input scheme 8	
Input name	Input type
1dc00018a31be32	URL encoded POST
openclidrive	URL encoded POST
openclipath	URL encoded POST

Input scheme 9	
Input name	Input type
daa74063f1e8fa6	URL encoded GET
path	URL encoded GET

Input scheme 10	
Input name	Input type
daa74063f1e8fa6	URL encoded GET
filter	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET

path	URL encoded GET
------	-----------------

https://pulse:59980/explorerjq.php

No vulnerabilities have been identified for this URL

45 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
–	URL encoded GET
43171a50e2d2614	URL encoded GET
filter	URL encoded GET
lastfilter	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
path	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2

Input name	Input type
–	URL encoded GET
7f17aba5e5c8bca	URL encoded GET
filter	URL encoded GET
lastfilter	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
path	URL encoded GET
phptimeout	URL encoded GET

Input scheme 3

Input name	Input type
–	URL encoded GET
7b35efdfcdf6589	URL encoded GET
filter	URL encoded GET
lastfilter	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
path	URL encoded GET
phptimeout	URL encoded GET

Input scheme 4

Input name	Input type
–	URL encoded GET
840dd4a4d2db950	URL encoded GET
filter	URL encoded GET
lastfilter	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
path	URL encoded GET
phptimeout	URL encoded GET

Input scheme 5

Input name	Input type
------------	------------

-	URL encoded GET
daa74063f1e8fa6	URL encoded GET
filter	URL encoded GET
lastfilter	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
path	URL encoded GET
phptimeout	URL encoded GET

<https://pulse:59980/users.php>

No vulnerabilities have been identified for this URL

21 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
7f32df868948a8e	URL encoded POST
changepassword	URL encoded POST

Input scheme 2

Input name	Input type
	URL encoded POST
7f32df868948a8e	URL encoded POST
newaccount	URL encoded POST
newuserauth	URL encoded POST
newusername	URL encoded POST
newuserpsw	URL encoded POST
newuserpswc	URL encoded POST
newusertype	URL encoded POST

Input scheme 3

Input name	Input type
changegroup	URL encoded GET

Input scheme 4

Input name	Input type
03927dc420933e2	URL encoded POST
changepassword	URL encoded POST

Input scheme 5

Input name	Input type
	URL encoded POST
03927dc420933e2	URL encoded POST
newaccount	URL encoded POST
newuserauth	URL encoded POST
newusername	URL encoded POST
newuserpsw	URL encoded POST
newuserpswc	URL encoded POST
newusertype	URL encoded POST

<https://pulse:59980/audit.php>

No vulnerabilities have been identified for this URL

15 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
------------	------------

392d116c6bfd1d1	URL encoded POST
changepassword	URL encoded POST

Input scheme 2	
Input name	Input type
0920ccd2eae120d	URL encoded GET
file	URL encoded GET

Input scheme 3	
Input name	Input type
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 4	
Input name	Input type
	URL encoded GET
file	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 5	
Input name	Input type
a07c50c85f56b0b	URL encoded POST
changepassword	URL encoded POST

Input scheme 6	
Input name	Input type
2c4b299d8066c98	URL encoded GET
file	URL encoded GET

https://pulse:59980/auditjq.php

No vulnerabilities have been identified for this URL

14 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
–	URL encoded GET
0920ccd2eae120d	URL encoded GET
file	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
svrrun	URL encoded GET

Input scheme 2	
Input name	Input type
–	URL encoded GET
2c4b299d8066c98	URL encoded GET
file	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
svrrun	URL encoded GET

https://pulse:59980/tail.php

No vulnerabilities have been identified for this URL

41 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
download	URL encoded GET
file	URL encoded GET
path	URL encoded GET

Input scheme 2

Input name	Input type
download	URL encoded GET
file	URL encoded GET
path	URL encoded GET
132ea0ed0727a88	URL encoded POST
changepassword	URL encoded POST

Input scheme 3

Input name	Input type
download	URL encoded GET
file	URL encoded GET
path	URL encoded GET
132ea0ed0727a88	URL encoded POST
openeditconf	URL encoded POST
tailoutput	URL encoded POST

Input scheme 4

Input name	Input type
download	URL encoded GET
file	URL encoded GET
path	URL encoded GET
132ea0ed0727a88	URL encoded POST
openeditconf	URL encoded POST

Input scheme 5

Input name	Input type
file	URL encoded GET
path	URL encoded GET

Input scheme 6

Input name	Input type
	URL encoded GET
download	URL encoded GET
file	URL encoded GET
path	URL encoded GET

Input scheme 7

Input name	Input type
download	URL encoded GET
file	URL encoded GET
path	URL encoded GET
a3115049a276a45	URL encoded POST
changepassword	URL encoded POST

Input scheme 8

Input name	Input type
------------	------------

download	URL encoded GET
file	URL encoded GET
path	URL encoded GET
a3115049a276a45	URL encoded POST
openeditconf	URL encoded POST
tailoutput	URL encoded POST

Input scheme 9

Input name	Input type
download	URL encoded GET
file	URL encoded GET
path	URL encoded GET
a3115049a276a45	URL encoded POST
openeditconf	URL encoded POST

https://pulse:59980/tailjq.php

No vulnerabilities have been identified for this URL

10 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
–	URL encoded GET
7795f3c0f3385e5	URL encoded GET
file	URL encoded GET
openeditconf	URL encoded GET
path	URL encoded GET

Input scheme 2

Input name	Input type
–	URL encoded GET
8a7f12f5a59bf47	URL encoded GET
file	URL encoded GET
openeditconf	URL encoded GET
path	URL encoded GET

https://pulse:59980/7zip.php

No vulnerabilities have been identified for this URL

18 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
download	URL encoded GET
file	URL encoded GET
name	URL encoded GET
path	URL encoded GET

Input scheme 2

Input name	Input type
download	URL encoded GET
file	URL encoded GET
name	URL encoded GET
path	URL encoded GET
acc6f4627e4d0b3	URL encoded POST
changepassword	URL encoded POST

Input scheme 3	
Input name	Input type
file	URL encoded GET
path	URL encoded GET

Input scheme 4	
Input name	Input type
download	URL encoded GET
file	URL encoded GET
name	URL encoded GET
path	URL encoded GET
023806f61b78653	URL encoded POST
changepassword	URL encoded POST

https://pulse:59980/7zipjq.php
 No vulnerabilities have been identified for this URL
 16 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
–	URL encoded GET
7c5b7928957f918	URL encoded GET
extract	URL encoded GET
extractfolder	URL encoded GET
extractpass	URL encoded GET
file	URL encoded GET
lock	URL encoded GET
path	URL encoded GET

Input scheme 2	
Input name	Input type
–	URL encoded GET
1cc2b262087d2e4	URL encoded GET
extract	URL encoded GET
extractfolder	URL encoded GET
extractpass	URL encoded GET
file	URL encoded GET
lock	URL encoded GET
path	URL encoded GET

https://pulse:59980/download.php
 No vulnerabilities have been identified for this URL
 12 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
7795f3c0f3385e5	URL encoded GET
download	URL encoded GET
path	URL encoded GET

Input scheme 2	
Input name	Input type
7c5b7928957f918	URL encoded GET
download	URL encoded GET
path	URL encoded GET

Input scheme 3	
Input name	Input type
8a7f12f5a59bf47	URL encoded GET
download	URL encoded GET
path	URL encoded GET

Input scheme 4	
Input name	Input type
1cc2b262087d2e4	URL encoded GET
download	URL encoded GET
path	URL encoded GET