



Payment Card Industry Data Security Standard version 3.0

~ compliance report ~

Payment Card Industry Data Security Standard version 3.0

compliance report

Description

The Payment Card Industry Data Security Standard (PCI DSS) was developed to encourage and enhance cardholder data security and facilitate the broad adoption of consistent data security measures globally. PCI DSS provides a baseline of technical and operational requirements designed to protect cardholder data. PCI DSS applies to all entities involved in payment card processing-including merchants, processors, acquirers, issuers, and service providers, as well as all other entities that store, process or transmit cardholder data (CHD) and/or sensitive authentication data (SAD).

Disclaimer

This document or any of its content cannot account for, or be included in any form of legal advice. The outcome of a vulnerability scan (or security evaluation) should be utilized to ensure that diligent measures are taken to lower the risk of potential exploits carried out to compromise data.

Legal advice must be supplied according to its legal context. All laws and the environments in which they are applied, are constantly changed and revised. Therefore no information provided in this document may ever be used as an alternative to a qualified legal body or representative.

This document was generated using information provided in "Payment Card Industry Data Security Standard Version 3.0", that can be found at https://www.pcisecuritystandards.org/documents/PCI_DSS_v3.pdf.

Scan

URL	https://pulse:59980/index.php
Scan date	07/01/2016 07:53:41
Duration	13 hours, 44 minutes
Profile	eurysco

Compliance at a Glance

This section of the report is a summary and lists the number of alerts found according to individual compliance categories.

- [Do not disclose private IP addresses and routing information to unauthorized parties \(Requirement 1.3.8\)](#)
✔ **No alerts in this category**
- [Always change vendor-supplied defaults and remove or disable unnecessary default accounts before installing a system on the network \(Requirement 2.1\)](#)
✔ **No alerts in this category**
- [Enable only necessary and secure services, protocols, daemons, etc \(Requirement 2.2.2\)](#)
✔ **No alerts in this category**
- [Configure system security parameters \(Requirement 2.2.4\)](#)
✔ **No alerts in this category**
- [Remove all unnecessary functionality \(Requirement 2.2.5\)](#)
✔ **No alerts in this category**
- [Encrypt all non-console administrative access \(Requirement 2.3\)](#)
✔ **No alerts in this category**
- [Encrypt transmission of cardholder data across open, public networks \(Requirement 4\)](#)
✔ **No alerts in this category**
- [Use strong cryptography and security protocols \(Requirement 4.1\)](#)
✔ **No alerts in this category**

- Develop and maintain secure systems and applications (Requirement 6)
 - ✔ **No alerts in this category**
- Ensure that all system components and software are protected from known vulnerabilities by having the latest vendor-supplied security patches installed (Requirement 6.2)
 - ✔ **No alerts in this category**
- Separate development/test environments from production environments, and enforce the separation with access controls (Requirement 6.4.1)
 - ✔ **No alerts in this category**
- Removal of test data and accounts before production systems become active (Requirement 6.4.4)
 - ✔ **No alerts in this category**
- Injection flaws (Requirement 6.5.1)
 - ✔ **No alerts in this category**
- Buffer overflow (Requirement 6.5.2)
 - ✔ **No alerts in this category**
- Insecure cryptographic storage (Requirement 6.5.3)
 - ✔ **No alerts in this category**
- Insecure communications (Requirement 6.5.4)
 - ✔ **No alerts in this category**
- Improper error handling (Requirement 6.5.5)
 - ✔ **No alerts in this category**
- Cross-site scripting (XSS) (Requirement 6.5.7)
 - ✔ **No alerts in this category**
- Improper Access Control (Requirement 6.5.8)
 - ✔ **No alerts in this category**
- Cross Site Request Forgery (CSRF) (Requirement 6.5.9)
 - ✔ **No alerts in this category**
- Broken authentication and session management (Requirement 6.5.10)
 - ✔ **No alerts in this category**
- Limit repeated access attempts by locking out the user ID after not more than six attempts (Requirement 8.1.6)
 - ✔ **No alerts in this category**
- Render all authentication credentials unreadable during transmission and storage (Requirement 8.2.1)
 - ✔ **No alerts in this category**
- Limit repeated access attempts (Requirement 8.5.13)
 - ✔ **No alerts in this category**

Compliance According to Categories: A Detailed Report

This section is a detailed report that explains each vulnerability found according to individual compliance categories.

(Requirement 1.3.8) Do not disclose private IP addresses and routing information to unauthorized parties

Restricting the disclosure of internal or private IP addresses is essential to prevent a hacker "learning" the IP addresses of the internal network, and using that information to access the network. Methods used to meet the intent of this requirement may vary depending on the specific networking technology being used. For example, the controls used to meet this requirement may be different for IPv4 networks than for IPv6 networks.

No alerts in this category.

(Requirement 2.1) Always change vendor-supplied defaults and remove or disable unnecessary default accounts before installing a system on the network

Malicious individuals (external and internal to an organization) often use vendor default settings, account names, and passwords to compromise operating system software, applications, and the systems on which they are installed. Because these default settings are often published and are well known in hacker communities, changing these settings will leave systems less vulnerable to attack.

Even if a default account is not intended to be used, changing the default password to a strong unique password and then disabling the account will prevent a malicious individual from re-enabling the account and gaining access with the default password.

No alerts in this category.

(Requirement 2.2.2) Enable only necessary and secure services, protocols, daemons, etc

Ensures that only the necessary services and protocols are enabled as required for the function of the system.

No alerts in this category.

(Requirement 2.2.4) Configure system security parameters

Configure system security parameters to prevent misuse.

No alerts in this category.

(Requirement 2.2.5) Remove all unnecessary functionality

Remove all unnecessary functionality, such as scripts, drivers, features, subsystems, file systems, and unnecessary web servers.

No alerts in this category.

(Requirement 2.3) Encrypt all non-console administrative access

Encrypt all non-console administrative access. Use technologies such as SSH, VPN, or SSL/TLS (transport layer security) for web-based management and other non-console administrative access.

No alerts in this category.

(Requirement 4) Encrypt transmission of cardholder data across open, public networks

Sensitive information must be encrypted during transmission over networks that are easily accessed by malicious individuals. Misconfigured wireless networks and vulnerabilities in legacy encryption and authentication protocols continue to be targets of malicious individuals who exploit these vulnerabilities to gain privileged access to cardholder data environments.

No alerts in this category.

(Requirement 4.1) Use strong cryptography and security protocols

Use strong cryptography and security protocols (for example, SSL/TLS, IPSEC, SSH, etc.) to safeguard sensitive cardholder data during transmission over open, public networks.

SSL implementation should support the latest patched versions. Proper encryption strength is should be implemented for the encryption methodology in use.

No alerts in this category.

(Requirement 6) Develop and maintain secure systems and applications

Unscrupulous individuals use security vulnerabilities to gain privileged access to systems. Many of these vulnerabilities are fixed by vendor provided security patches, which must be installed by the entities that manage the systems. All critical systems must have the most recently released, appropriate software patches to protect against exploitation and compromise of cardholder data by malicious individuals and malicious software.

No alerts in this category.

(Requirement 6.2) Ensure that all system components and software are protected from known vulnerabilities by having the latest vendor-supplied security patches installed

There is a constant stream of attacks using widely published exploits, often called "zero day" (an attack that exploits a previously unknown vulnerability), against otherwise secured systems. If the most recent patches are not implemented on critical systems as soon as possible, a malicious individual can use these exploits to attack or disable a system, or gain access to sensitive data.

Prioritizing patches for critical infrastructure ensures that high-priority systems and devices are protected from vulnerabilities as soon as possible after a patch is released. Consider prioritizing patch installations such that security patches for critical or at-risk systems are installed within 30 days, and other lower-risk patches are installed within 2-3 months.

This requirement applies to applicable patches for all installed software.

No alerts in this category.

(Requirement 6.4.1) Separate development/test environments from production environments, and enforce the separation with access controls

No alerts in this category.

(Requirement 6.4.4) Removal of test data and accounts before production systems become active

Test data and accounts should be removed before a production system becomes active.

No alerts in this category.

(Requirement 6.5.1) Injection flaws

Injection flaws, particularly SQL injection. Also consider OS Command Injection, LDAP and XPath injection flaws as well as other injection flaws.

No alerts in this category.

(Requirement 6.5.2) Buffer overflow

Buffer overflows occur when an application does not have appropriate bounds checking on its buffer space. This can cause the information in the buffer to be pushed out of the buffer's memory space and into executable memory space. When this occurs, the attacker has the ability to insert malicious code at the end of the buffer and then push that malicious code into executable memory space by overflowing the buffer. The malicious code is then executed and often enables the attacker remote access to the application and/or infected system.

No alerts in this category.

(Requirement 6.5.3) Insecure cryptographic storage

Applications that do not utilize strong cryptographic functions properly to store data are at increased risk of being compromised, and exposing authentication credentials and/or cardholder data. If an attacker is able to exploit weak cryptographic processes, they may be able to gain clear-text access to encrypted data.

No alerts in this category.

(Requirement 6.5.4) Insecure communications

Applications that fail to adequately encrypt network traffic using strong cryptography are at increased risk of being compromised and exposing cardholder data. If an attacker is able to exploit weak cryptographic processes, they may be able to gain control of an application or even gain clear-text access to encrypted data.

No alerts in this category.

(Requirement 6.5.5) Improper error handling

Applications can unintentionally leak information about their configuration or internal workings, or expose privileged information through improper error handling methods. Attackers use this weakness to steal sensitive data or compromise the system altogether. If a malicious individual can create errors that the application does not handle properly, they can gain detailed system information, create denial-of-service interruptions, cause security to fail, or crash the server. For example, the message "incorrect password provided" tells an attacker the user ID provided was accurate and that they should focus their efforts only on the password. Use more generic error messages, like "data could not be verified."

No alerts in this category.

(Requirement 6.5.7) Cross-site scripting (XSS)

XSS flaws occur whenever an application takes user-supplied data and sends it to a web browser without first validating or encoding that content. XSS allows attackers to execute script in the victim's browser, which can hijack user sessions, deface web sites, possibly introduce worms, etc.

No alerts in this category.

(Requirement 6.5.8) Improper Access Control

Consistently enforce access control in presentation layer and business logic for all URLs. Frequently, the only way an application protects sensitive functionality is by preventing the display of links or URLs to unauthorized users. Attackers can use this weakness to access and perform unauthorized operations by accessing those URLs directly.

No alerts in this category.

(Requirement 6.5.9) Cross Site Request Forgery (CSRF)

A CSRF attack forces a logged-on victim's browser to send a pre-authenticated request to a vulnerable web application, which then enables the attacker to perform any state-changing operations the victim is authorized to perform (such as updating account details, making purchases, or even authenticating to the application).

No alerts in this category.

(Requirement 6.5.10) Broken authentication and session management

Secure authentication and session management prevents unauthorized individuals from compromising legitimate account credentials, keys, or session tokens that would otherwise enable the intruder to assume the identity of an authorized user.

No alerts in this category.

(Requirement 8.1.6) Limit repeated access attempts by locking out the user ID after not more than six attempts

Without account-lockout mechanisms in place, an attacker can continually attempt to guess a password through manual or automated tools (for example, password cracking), until they achieve success and gain access to a user's account.

No alerts in this category.

(Requirement 8.2.1) Render all authentication credentials unreadable during transmission and storage

Many network devices and applications transmit unencrypted, readable passwords across the network and/or store passwords without encryption. A malicious individual can easily intercept unencrypted passwords during transmission using a "sniffer," or directly access unencrypted passwords in files where they are stored, and use this data to gain unauthorized access.

No alerts in this category.

(Requirement 8.5.13) Limit repeated access attempts

Limit repeated access attempts by locking out the user ID after not more than six attempts.

No alerts in this category.

Scanned items (coverage report)

<https://pulse:59980/>

No vulnerabilities have been identified for this URL

4 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
8850a96d6ce5608	URL encoded POST
changepassword	URL encoded POST

Input scheme 2

Input name	Input type
74efab27c34c8b6	URL encoded POST
changepassword	URL encoded POST

<https://pulse:59980/index.php>

No vulnerabilities have been identified for this URL

7 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
6444fc169591f55	URL encoded POST
changepassword	URL encoded POST

Input scheme 2

Input name	Input type
7ba456c9183076d	URL encoded POST
changepassword	URL encoded POST

Input scheme 3

Input name	Input type
acda8cbde4da6df	URL encoded POST
changepassword	URL encoded POST

Input scheme 4

Input name	Input type
Host	HTTP Header

<https://pulse:59980/autosuggest>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/autosuggest/js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

https://pulse:59980/autosuggest/js/bsn.autosuggest_2.1.3.js

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/assets>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/assets/jquery-2.1.4.min.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/assets/jquery.mousewheel.min.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/assets/moment.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/assets/jquery.timeentry.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/modern>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/modern/dropdown.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/modern/accordion.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/modern/buttonset.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/modern/input-control.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/modern/pagecontrol.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/modern/calendar.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/modern/dialog.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/js/modern/pagelist.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/plupload>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/plupload/js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/plupload/js/plupload.full.min.js>

No vulnerabilities have been identified for this URL

No input(s) found for this URL

<https://pulse:59980/systemjq.php>

No vulnerabilities have been identified for this URL

30 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
-	URL encoded GET
009de6f2dffe343	URL encoded GET
domain	URL encoded GET
manufacturer	URL encoded GET
model	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2

Input name	Input type
-	URL encoded GET
5c894195fab04a7	URL encoded GET
domain	URL encoded GET
manufacturer	URL encoded GET
model	URL encoded GET
phptimeout	URL encoded GET

Input scheme 3

Input name	Input type
-	URL encoded GET
b2bd8ca06f16034	URL encoded GET
domain	URL encoded GET
manufacturer	URL encoded GET
model	URL encoded GET
phptimeout	URL encoded GET

Input scheme 4

Input name	Input type
-	URL encoded GET
4ecbc2ad8e61dcb	URL encoded GET
domain	URL encoded GET
manufacturer	URL encoded GET
model	URL encoded GET
phptimeout	URL encoded GET

Input scheme 5

Input name	Input type
-	URL encoded GET
a23f7a680876e30	URL encoded GET

domain	URL encoded GET
manufacturer	URL encoded GET
model	URL encoded GET
phptimeout	URL encoded GET

https://pulse:59980/about.php

No vulnerabilities have been identified for this URL

4 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
changepassword	URL encoded POST
eb6abd5a03fd49f	URL encoded POST

Input scheme 2

Input name	Input type
changepassword	URL encoded POST
de8c9c86cbc0e74	URL encoded POST

https://pulse:59980/core.php

No vulnerabilities have been identified for this URL

26 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
a289c96c5a038f9	URL encoded POST
changepassword	URL encoded POST

Input scheme 2

Input name	Input type
	URL encoded POST
a289c96c5a038f9	URL encoded POST
corelisteningport	URL encoded POST
corephpport	URL encoded POST
coreservicedisplayname	URL encoded POST
coreservicelogonas	URL encoded POST
coreservicename	URL encoded POST
coreservicestartuptype	URL encoded POST
coretrustedcertificate	URL encoded POST
deleteconfiguration	URL encoded POST
submitform	URL encoded POST

Input scheme 3

Input name	Input type
5a8ca4470b5ad4b	URL encoded POST
changepassword	URL encoded POST

Input scheme 4

Input name	Input type
	URL encoded POST
5a8ca4470b5ad4b	URL encoded POST
corelisteningport	URL encoded POST
corephpport	URL encoded POST
coreservicedisplayname	URL encoded POST
coreservicelogonas	URL encoded POST
coreservicename	URL encoded POST

coreservicestartuptype	URL encoded POST
coretrustedcertificate	URL encoded POST
deleteconfiguration	URL encoded POST
submitform	URL encoded POST

<https://pulse:59980/nodes.php>

No vulnerabilities have been identified for this URL

57 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
4c13f3b08e0b965	URL encoded POST
changepassword	URL encoded POST

Input scheme 2

Input name	Input type
1890d4483f8a393	URL encoded GET
find	URL encoded GET
findtype	URL encoded GET
orderby	URL encoded GET

Input scheme 3

Input name	Input type
1890d4483f8a393	URL encoded GET
find	URL encoded GET
findtype	URL encoded GET
metering	URL encoded GET
orderby	URL encoded GET

Input scheme 4

Input name	Input type
1890d4483f8a393	URL encoded GET
remmetering	URL encoded GET
remmeteringname	URL encoded GET

Input scheme 5

Input name	Input type
4c13f3b08e0b965	URL encoded POST
removedeploy	URL encoded POST

Input scheme 6

Input name	Input type
4c13f3b08e0b965	URL encoded POST
confirmdeploy	URL encoded POST

Input scheme 7

Input name	Input type
4c13f3b08e0b965	URL encoded POST
agentrefresh	URL encoded POST

Input scheme 8

Input name	Input type
4c13f3b08e0b965	URL encoded POST
cmd	URL encoded POST
find	URL encoded POST
findtype	URL encoded POST
orderby	URL encoded POST

Input scheme 9	
Input name	Input type
find	URL encoded GET
findtype	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
results	URL encoded GET

Input scheme 10	
Input name	Input type
find	URL encoded GET
findtype	URL encoded GET

Input scheme 11	
Input name	Input type
changepassword	URL encoded POST
ed89df0d8109b99	URL encoded POST

Input scheme 12	
Input name	Input type
9cc435848440980	URL encoded GET
find	URL encoded GET
findtype	URL encoded GET
orderby	URL encoded GET

Input scheme 13	
Input name	Input type
9cc435848440980	URL encoded GET
find	URL encoded GET
findtype	URL encoded GET
metering	URL encoded GET
orderby	URL encoded GET

Input scheme 14	
Input name	Input type
9cc435848440980	URL encoded GET
remmetering	URL encoded GET
remmeteringname	URL encoded GET

Input scheme 15	
Input name	Input type
ed89df0d8109b99	URL encoded POST
removedeploy	URL encoded POST

Input scheme 16	
Input name	Input type
confirmdeploy	URL encoded POST
ed89df0d8109b99	URL encoded POST

Input scheme 17	
Input name	Input type
agentrefresh	URL encoded POST
ed89df0d8109b99	URL encoded POST

Input scheme 18	
Input name	Input type
cmd	URL encoded POST
ed89df0d8109b99	URL encoded POST
find	URL encoded POST

findtype	URL encoded POST
orderby	URL encoded POST

https://pulse:59980/nodesjq.php

No vulnerabilities have been identified for this URL

18 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
–	URL encoded GET
1890d4483f8a393	URL encoded GET
confirmdeploy	URL encoded GET
find	URL encoded GET
findtype	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET
results	URL encoded GET

Input scheme 2

Input name	Input type
–	URL encoded GET
9cc435848440980	URL encoded GET
confirmdeploy	URL encoded GET
find	URL encoded GET
findtype	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET
results	URL encoded GET

https://pulse:59980/xml.php

No vulnerabilities have been identified for this URL

12 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
1890d4483f8a393	URL encoded GET
export	URL encoded GET
source	URL encoded GET

Input scheme 2

Input name	Input type
export	URL encoded GET
f22fe6d757316f7	URL encoded GET
source	URL encoded GET

Input scheme 3

Input name	Input type
9cc435848440980	URL encoded GET
export	URL encoded GET
source	URL encoded GET

Input scheme 4

Input name	Input type
6219157ab0a5545	URL encoded GET

export	URL encoded GET
source	URL encoded GET

https://pulse:59980/nodes_nagios.php

No vulnerabilities have been identified for this URL

37 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET

Input scheme 2

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
changepassword	URL encoded POST
f6e686c385649cf	URL encoded POST

Input scheme 3

Input name	Input type
b79a926245ba467	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

Input scheme 4

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 5

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
b6f2c07ffb4fae9	URL encoded POST
changepassword	URL encoded POST

Input scheme 6

Input name	Input type
b118d5f357ce28b	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET

executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

https://pulse:59980/nodes_nagiosjq.php

No vulnerabilities have been identified for this URL

20 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
-	URL encoded GET
b79a926245ba467	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2

Input name	Input type
-	URL encoded GET
b118d5f357ce28b	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

https://pulse:59980/nodes_inventory.php

No vulnerabilities have been identified for this URL

16 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET

Input scheme 2

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
b78f1bc917b24b8	URL encoded POST
changepassword	URL encoded POST

Input scheme 3	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
6fa327741c0d3b8	URL encoded POST
changepassword	URL encoded POST

https://pulse:59980/nodes_programs.php

No vulnerabilities have been identified for this URL

55 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET

Input scheme 2	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
13a19ff57c34b2e	URL encoded POST
changepassword	URL encoded POST

Input scheme 3	
Input name	Input type
479b221ad685d1b	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

Input scheme 4	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
13a19ff57c34b2e	URL encoded POST
uninstallidprogram	URL encoded POST
uninstallnameprogram	URL encoded POST
uninstallprogramconf	URL encoded POST
uninstallversprogram	URL encoded POST

Input scheme 5	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET

filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 6

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
6af335d9e7e58e3	URL encoded POST
changepassword	URL encoded POST

Input scheme 7

Input name	Input type
computerip	URL encoded GET
d01d663ec78f3e8	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

Input scheme 8

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
6af335d9e7e58e3	URL encoded POST
uninstallidprogram	URL encoded POST
uninstallnameprogram	URL encoded POST
uninstallprogramconf	URL encoded POST
uninstallversprogram	URL encoded POST

https://pulse:59980/nodes_programsjq.php

No vulnerabilities have been identified for this URL

24 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
—	URL encoded GET
479b221ad685d1b	URL encoded GET
cid	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
message	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
-	URL encoded GET
cid	URL encoded GET
computerip	URL encoded GET
d01d663ec78f3e8	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
message	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

https://pulse:59980/nodes_processes.php

No vulnerabilities have been identified for this URL

53 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET

Input scheme 2	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
34b390859b6adca	URL encoded POST
changepassword	URL encoded POST

Input scheme 3	
Input name	Input type
181bee69d16f4c8	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

Input scheme 4	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
34b390859b6adca	URL encoded POST
endidprocess	URL encoded POST
endnameprocess	URL encoded POST
endtypeprocess	URL encoded POST

Input scheme 5	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 6	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
cd168b53c47fd12	URL encoded POST
changepassword	URL encoded POST

Input scheme 7	
Input name	Input type
a451cb49ec70c2e	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

Input scheme 8	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
cd168b53c47fd12	URL encoded POST
endidprocess	URL encoded POST
endnameprocess	URL encoded POST
endtypeprocess	URL encoded POST

https://pulse:59980/nodes_processesjq.php
 No vulnerabilities have been identified for this URL
 24 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
_	URL encoded GET
181bee69d16f4c8	URL encoded GET
cid	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
message	URL encoded GET
node	URL encoded GET

orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
—	URL encoded GET
a451cb49ec70c2e	URL encoded GET
cid	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
message	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

https://pulse:59980/nodes_services.php
No vulnerabilities have been identified for this URL
53 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET

Input scheme 2	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
2013b1582956c53	URL encoded POST
changepassword	URL encoded POST

Input scheme 3	
Input name	Input type
71af0547deca579	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

Input scheme 4	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
2013b1582956c53	URL encoded POST

serviceidexec	URL encoded POST
servicenameexec	URL encoded POST
servicetypeexec	URL encoded POST

Input scheme 5	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 6	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
52d399227a26090	URL encoded POST
changepassword	URL encoded POST

Input scheme 7	
Input name	Input type
975276f5972b461	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

Input scheme 8	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
52d399227a26090	URL encoded POST
serviceidexec	URL encoded POST
servicenameexec	URL encoded POST
servicetypeexec	URL encoded POST

https://pulse:59980/nodes_servicesjq.php
No vulnerabilities have been identified for this URL
24 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
_	URL encoded GET
71af0547deca579	URL encoded GET
cid	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET

filter	URL encoded GET
message	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
-	URL encoded GET
975276f5972b461	URL encoded GET
cid	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
message	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

https://pulse:59980/nodes_netstat.php
 No vulnerabilities have been identified for this URL
 55 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET

Input scheme 2	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
29c76253ba4f2d9	URL encoded POST
changepassword	URL encoded POST

Input scheme 3	
Input name	Input type
73a068013d782b6	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

Input scheme 4	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET

executorport	URL encoded GET
node	URL encoded GET
29c76253ba4f2d9	URL encoded POST
uninstallidprogram	URL encoded POST
uninstallnameprogram	URL encoded POST
uninstallprogramconf	URL encoded POST
uninstallversprogram	URL encoded POST

Input scheme 5	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 6	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
2298e6d2f4221fd	URL encoded POST
changepassword	URL encoded POST

Input scheme 7	
Input name	Input type
27d7800b555dd4e	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

Input scheme 8	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
2298e6d2f4221fd	URL encoded POST
uninstallidprogram	URL encoded POST
uninstallnameprogram	URL encoded POST
uninstallprogramconf	URL encoded POST
uninstallversprogram	URL encoded POST

https://pulse:59980/nodes_netstatjq.php
No vulnerabilities have been identified for this URL
20 input(s) found for this URL

Inputs	
Input name	Input type
-	URL encoded GET

73a068013d782b6	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
–	URL encoded GET
27d7800b555dd4e	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

https://pulse:59980/nodes_scheduler.php
 No vulnerabilities have been identified for this URL
 56 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET

Input scheme 2	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
81efd8daa3a2f1e	URL encoded POST
changepassword	URL encoded POST

Input scheme 3	
Input name	Input type
9452a9cab1c8a53	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
osversion	URL encoded GET

Input scheme 4	
Input name	Input type

computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
81efd8daa3a2f1e	URL encoded POST
commandtaskname	URL encoded POST
commandtitletask	URL encoded POST
commandtype	URL encoded POST

Input scheme 5

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
osversion	URL encoded GET
page	URL encoded GET

Input scheme 6

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
5541e51f848024f	URL encoded POST
changepassword	URL encoded POST

Input scheme 7

Input name	Input type
b5c7788a618bcd9	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
osversion	URL encoded GET

Input scheme 8

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
5541e51f848024f	URL encoded POST
commandtaskname	URL encoded POST
commandtitletask	URL encoded POST
commandtype	URL encoded POST

https://pulse:59980/nodes_schedulerjq.php

No vulnerabilities have been identified for this URL

26 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
–	URL encoded GET
9452a9cab1c8a53	URL encoded GET
cid	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
message	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
osmver	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
–	URL encoded GET
b5c7788a618bcd9	URL encoded GET
cid	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
message	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
osmver	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

https://pulse:59980/nodes_eventviewer.php
 No vulnerabilities have been identified for this URL
 37 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET

Input scheme 2	
Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
changepassword	URL encoded POST
fb7e094125b10a5	URL encoded POST

Input scheme 3	
Input name	Input type
259db1811013f36	URL encoded GET

computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

Input scheme 4

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 5

Input name	Input type
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
node	URL encoded GET
changepassword	URL encoded POST
f0b0cc0966753ae	URL encoded POST

Input scheme 6

Input name	Input type
99d068414750982	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET

https://pulse:59980/nodes_eventviewerjq.php

No vulnerabilities have been identified for this URL

20 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
–	URL encoded GET
259db1811013f36	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2

Input name	Input type
–	URL encoded GET

99d068414750982	URL encoded GET
computerip	URL encoded GET
domain	URL encoded GET
executorport	URL encoded GET
filter	URL encoded GET
node	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

<https://pulse:59980/nagios.php>

No vulnerabilities have been identified for this URL

13 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
610ec8df04c2f9f	URL encoded POST
changepassword	URL encoded POST

Input scheme 2

Input name	Input type
4258765c41ab762	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 3

Input name	Input type
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 4

Input name	Input type
b172856838fa292	URL encoded POST
changepassword	URL encoded POST

Input scheme 5

Input name	Input type
49fd38988be41e7	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

<https://pulse:59980/nagiosjq.php>

No vulnerabilities have been identified for this URL

16 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
_	URL encoded GET
4258765c41ab762	URL encoded GET
filter	URL encoded GET
nrpepathname	URL encoded GET
nscppathname	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
-	URL encoded GET
49fd38988be41e7	URL encoded GET
filter	URL encoded GET
nrpepathname	URL encoded GET
nscppathname	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

<https://pulse:59980/inventory.php>

No vulnerabilities have been identified for this URL

4 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
32a16d54be57288	URL encoded POST
changepassword	URL encoded POST

Input scheme 2	
Input name	Input type
9cb0a65940ab209	URL encoded POST
changepassword	URL encoded POST

<https://pulse:59980/programs.php>

No vulnerabilities have been identified for this URL

23 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
changepassword	URL encoded POST
daeb787e85f613c	URL encoded POST

Input scheme 2	
Input name	Input type
50915c241f849e3	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 3	
Input name	Input type
daeb787e85f613c	URL encoded POST
uninstallidprogram	URL encoded POST
uninstallnameprogram	URL encoded POST
uninstallprogramconf	URL encoded POST
uninstallversprogram	URL encoded POST

Input scheme 4	
Input name	Input type
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 5	
Input name	Input type

3dd8c640445c91a	URL encoded POST
changepassword	URL encoded POST

Input scheme 6	
Input name	Input type
d8d51d79469d3fe	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 7	
Input name	Input type
3dd8c640445c91a	URL encoded POST
uninstallidprogram	URL encoded POST
uninstallnameprogram	URL encoded POST
uninstallprogramconf	URL encoded POST
uninstallversprogram	URL encoded POST

https://pulse:59980/programsjq.php
 No vulnerabilities have been identified for this URL
 12 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
-	URL encoded GET
50915c241f849e3	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
-	URL encoded GET
d8d51d79469d3fe	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

https://pulse:59980/wmiexplorer.php
 No vulnerabilities have been identified for this URL
 17 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
18d5382cb09087e	URL encoded POST
changepassword	URL encoded POST

Input scheme 2	
Input name	Input type
c1a5da8e31f5004	URL encoded GET
filter	URL encoded GET
wmiclasses	URL encoded GET
wminamespace	URL encoded GET

Input scheme 3	
Input name	Input type
filter	URL encoded GET
lastfilter	URL encoded GET
page	URL encoded GET
wmiclasses	URL encoded GET
wminamespace	URL encoded GET

Input scheme 4	
Input name	Input type
56852d25a0e8899	URL encoded POST
changepassword	URL encoded POST

Input scheme 5	
Input name	Input type
f6585ab7f514a2e	URL encoded GET
filter	URL encoded GET
wmiclasses	URL encoded GET
wminamespace	URL encoded GET

https://pulse:59980/wmiexplorerjq.php
 No vulnerabilities have been identified for this URL
 16 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
-	URL encoded GET
c1a5da8e31f5004	URL encoded GET
filter	URL encoded GET
lastfilter	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET
wmiclasses	URL encoded GET
wminamespace	URL encoded GET

Input scheme 2	
Input name	Input type
-	URL encoded GET
f6585ab7f514a2e	URL encoded GET
filter	URL encoded GET
lastfilter	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET
wmiclasses	URL encoded GET
wminamespace	URL encoded GET

https://pulse:59980/shutdown.php
 No vulnerabilities have been identified for this URL
 18 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
6f203ca593bea55	URL encoded POST
changepassword	URL encoded POST

Input scheme 2	
Input name	Input type
6f203ca593bea55	URL encoded POST
shutdowncommand	URL encoded POST
shutdowndate	URL encoded POST
shutdowntime	URL encoded POST
shutdowntype	URL encoded POST

Input scheme 3	
Input name	Input type
6f203ca593bea55	URL encoded POST
toolssendcommand	URL encoded POST

Input scheme 4	
Input name	Input type
6626f6737e9ee0e	URL encoded POST
changepassword	URL encoded POST

Input scheme 5	
Input name	Input type
6626f6737e9ee0e	URL encoded POST
shutdowncommand	URL encoded POST
shutdowndate	URL encoded POST
shutdowntime	URL encoded POST
shutdowntype	URL encoded POST

Input scheme 6	
Input name	Input type
6626f6737e9ee0e	URL encoded POST
toolssendcommand	URL encoded POST

https://pulse:59980/shutdownjq.php
 No vulnerabilities have been identified for this URL
 4 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
–	URL encoded GET
6bdc4700fb46e5c	URL encoded GET

Input scheme 2	
Input name	Input type
–	URL encoded GET
879478982f9abbb	URL encoded GET

https://pulse:59980/processes.php
 No vulnerabilities have been identified for this URL
 22 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
6d1a5982cc7a445	URL encoded POST
changepassword	URL encoded POST

Input scheme 2	
Input name	Input type
41ef3ee3097f64b	URL encoded GET

filter	URL encoded GET
orderby	URL encoded GET

Input scheme 3	
Input name	Input type
6d1a5982cc7a445	URL encoded POST
endidprocess	URL encoded POST
endnameprocess	URL encoded POST
endtypeprocess	URL encoded POST

Input scheme 4	
Input name	Input type
cpucount	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 5	
Input name	Input type
c237c49f0d6c50e	URL encoded POST
changepassword	URL encoded POST

Input scheme 6	
Input name	Input type
5f94a8f92bb0561	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 7	
Input name	Input type
c237c49f0d6c50e	URL encoded POST
endidprocess	URL encoded POST
endnameprocess	URL encoded POST
endtypeprocess	URL encoded POST

<https://pulse:59980/processesjq.php>
No vulnerabilities have been identified for this URL
14 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
-	URL encoded GET
41ef3ee3097f64b	URL encoded GET
cpucount	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
-	URL encoded GET
5f94a8f92bb0561	URL encoded GET
cpucount	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

phptimeout	URL encoded GET
------------	-----------------

https://pulse:59980/services.php

No vulnerabilities have been identified for this URL

21 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
86acfd40125e08f	URL encoded POST
changepassword	URL encoded POST

Input scheme 2

Input name	Input type
816bcb22f14740c	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 3

Input name	Input type
86acfd40125e08f	URL encoded POST
serviceidexec	URL encoded POST
servicenameexec	URL encoded POST
servicetypeexec	URL encoded POST

Input scheme 4

Input name	Input type
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 5

Input name	Input type
4cbfa472deb02e3	URL encoded POST
changepassword	URL encoded POST

Input scheme 6

Input name	Input type
c5e501955a0e694	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 7

Input name	Input type
4cbfa472deb02e3	URL encoded POST
serviceidexec	URL encoded POST
servicenameexec	URL encoded POST
servicetypeexec	URL encoded POST

https://pulse:59980/servicesjq.php

No vulnerabilities have been identified for this URL

12 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
-	URL encoded GET
816bcb22f14740c	URL encoded GET
filter	URL encoded GET

orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2

Input name	Input type
–	URL encoded GET
c5e501955a0e694	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

<https://pulse:59980/netstat.php>

No vulnerabilities have been identified for this URL

21 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
changepassword	URL encoded POST
d67610e803c6829	URL encoded POST

Input scheme 2

Input name	Input type
8a73a6c947e1213	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 3

Input name	Input type
commandtaskname	URL encoded POST
commandtitletask	URL encoded POST
commandtype	URL encoded POST
d67610e803c6829	URL encoded POST

Input scheme 4

Input name	Input type
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 5

Input name	Input type
76ba8869c6128d3	URL encoded POST
changepassword	URL encoded POST

Input scheme 6

Input name	Input type
0ab161e5c72a3cb	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 7

Input name	Input type
76ba8869c6128d3	URL encoded POST
commandtaskname	URL encoded POST
commandtitletask	URL encoded POST
commandtype	URL encoded POST

https://pulse:59980/netstatjq.php

No vulnerabilities have been identified for this URL

12 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
-	URL encoded GET
8a73a6c947e1213	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2

Input name	Input type
-	URL encoded GET
0ab161e5c72a3cb	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

https://pulse:59980/scheduler.php

No vulnerabilities have been identified for this URL

21 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
872404d36d8d3e0	URL encoded POST
changepassword	URL encoded POST

Input scheme 2

Input name	Input type
525eecd78d7a3ee	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 3

Input name	Input type
872404d36d8d3e0	URL encoded POST
commandtaskname	URL encoded POST
commandtitletask	URL encoded POST
commandtype	URL encoded POST

Input scheme 4

Input name	Input type
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 5

Input name	Input type
changepassword	URL encoded POST
f8b6ab4ce92cc8c	URL encoded POST

Input scheme 6	
Input name	Input type
dd26ff2444ad3c4	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 7	
Input name	Input type
commandtaskname	URL encoded POST
commandtitletask	URL encoded POST
commandtype	URL encoded POST
f8b6ab4ce92cc8c	URL encoded POST

https://pulse:59980/schedulerjq.php	
No vulnerabilities have been identified for this URL	
14 input(s) found for this URL	

Inputs

Input scheme 1	
Input name	Input type
–	URL encoded GET
525eecd78d7a3ee	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
osmver	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
–	URL encoded GET
dd26ff2444ad3c4	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
osmver	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

https://pulse:59980/eventviewer.php	
No vulnerabilities have been identified for this URL	
13 input(s) found for this URL	

Inputs

Input scheme 1	
Input name	Input type
b9aebe7054003b3	URL encoded POST
changepassword	URL encoded POST

Input scheme 2	
Input name	Input type
1c677486971571a	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 3	
Input name	Input type
filter	URL encoded GET

orderby	URL encoded GET
page	URL encoded GET

Input scheme 4	
Input name	Input type
af4c7ee5e58045f	URL encoded POST
changepassword	URL encoded POST

Input scheme 5	
Input name	Input type
36249109f0e5fa6	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET

https://pulse:59980/eventviewerjq.php	
No vulnerabilities have been identified for this URL	
12 input(s) found for this URL	

Inputs

Input scheme 1	
Input name	Input type
_	URL encoded GET
1c677486971571a	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
_	URL encoded GET
36249109f0e5fa6	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

https://pulse:59980/registry.php	
No vulnerabilities have been identified for this URL	
30 input(s) found for this URL	

Inputs

Input scheme 1	
Input name	Input type
b00400153fde3a7	URL encoded POST
changepassword	URL encoded POST

Input scheme 2	
Input name	Input type
b00400153fde3a7	URL encoded POST
regexportconf	URL encoded POST

Input scheme 3	
Input name	Input type
be7b6a059db3713	URL encoded GET
hkey	URL encoded GET

Input scheme 4	
Input name	Input type

be7b6a059db3713	URL encoded GET
filter	URL encoded GET
hkey	URL encoded GET
keypath	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET

Input scheme 5

Input name	Input type
filter	URL encoded GET
keypath	URL encoded GET
lastfilter	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 6

Input name	Input type
changepassword	URL encoded POST
e889816a0638bc2	URL encoded POST

Input scheme 7

Input name	Input type
e889816a0638bc2	URL encoded POST
regexportconf	URL encoded POST

Input scheme 8

Input name	Input type
34a65c5f86e6fdd	URL encoded GET
hkey	URL encoded GET

Input scheme 9

Input name	Input type
34a65c5f86e6fdd	URL encoded GET
filter	URL encoded GET
hkey	URL encoded GET
keypath	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET

<https://pulse:59980/registryjq.php>

No vulnerabilities have been identified for this URL

18 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
-	URL encoded GET
be7b6a059db3713	URL encoded GET
filter	URL encoded GET
hkey	URL encoded GET
keypath	URL encoded GET
lastfilter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
-	URL encoded GET
34a65c5f86e6fdd	URL encoded GET
filter	URL encoded GET
hkey	URL encoded GET
keypath	URL encoded GET
lastfilter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
phptimeout	URL encoded GET

<https://pulse:59980/cli.php>

No vulnerabilities have been identified for this URL

18 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
170b260a94220ad	URL encoded POST
changepassword	URL encoded POST

Input scheme 2	
Input name	Input type
170b260a94220ad	URL encoded POST
resetviewconf	URL encoded POST

Input scheme 3	
Input name	Input type
170b260a94220ad	URL encoded POST
cldrive	URL encoded POST
cltimeout	URL encoded POST
cmd	URL encoded POST
cmdmemlist	URL encoded POST

Input scheme 4	
Input name	Input type
changepassword	URL encoded POST
d0e02832ab4a728	URL encoded POST

Input scheme 5	
Input name	Input type
d0e02832ab4a728	URL encoded POST
resetviewconf	URL encoded POST

Input scheme 6	
Input name	Input type
cldrive	URL encoded POST
cltimeout	URL encoded POST
cmd	URL encoded POST
cmdmemlist	URL encoded POST
d0e02832ab4a728	URL encoded POST

<https://pulse:59980/explorer.php>

No vulnerabilities have been identified for this URL

31 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
path	URL encoded GET

Input scheme 2	
Input name	Input type
64a7bd73df58438	URL encoded POST
changepassword	URL encoded POST

Input scheme 3	
Input name	Input type
64a7bd73df58438	URL encoded POST
openclidrive	URL encoded POST
openclipath	URL encoded POST

Input scheme 4	
Input name	Input type
7b35efdfcdf6589	URL encoded GET
path	URL encoded GET

Input scheme 5	
Input name	Input type
7b35efdfcdf6589	URL encoded GET
filter	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET
path	URL encoded GET

Input scheme 6	
Input name	Input type
filter	URL encoded GET
lastfilter	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
path	URL encoded GET

Input scheme 7	
Input name	Input type
1dc00018a31be32	URL encoded POST
changepassword	URL encoded POST

Input scheme 8	
Input name	Input type
1dc00018a31be32	URL encoded POST
openclidrive	URL encoded POST
openclipath	URL encoded POST

Input scheme 9	
Input name	Input type
daa74063f1e8fa6	URL encoded GET
path	URL encoded GET

Input scheme 10	
Input name	Input type
daa74063f1e8fa6	URL encoded GET
filter	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET

path	URL encoded GET
------	-----------------

<https://pulse:59980/explorerjq.php>

No vulnerabilities have been identified for this URL

45 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
–	URL encoded GET
43171a50e2d2614	URL encoded GET
filter	URL encoded GET
lastfilter	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
path	URL encoded GET
phptimeout	URL encoded GET

Input scheme 2	
Input name	Input type
–	URL encoded GET
7f17aba5e5c8bca	URL encoded GET
filter	URL encoded GET
lastfilter	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
path	URL encoded GET
phptimeout	URL encoded GET

Input scheme 3	
Input name	Input type
–	URL encoded GET
7b35efdfcdf6589	URL encoded GET
filter	URL encoded GET
lastfilter	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
path	URL encoded GET
phptimeout	URL encoded GET

Input scheme 4	
Input name	Input type
–	URL encoded GET
840dd4a4d2db950	URL encoded GET
filter	URL encoded GET
lastfilter	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
path	URL encoded GET
phptimeout	URL encoded GET

Input scheme 5	
Input name	Input type

-	URL encoded GET
daa74063f1e8fa6	URL encoded GET
filter	URL encoded GET
lastfilter	URL encoded GET
lastpath	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
path	URL encoded GET
phptimeout	URL encoded GET

<https://pulse:59980/users.php>

No vulnerabilities have been identified for this URL

21 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
7f32df868948a8e	URL encoded POST
changepassword	URL encoded POST

Input scheme 2

Input name	Input type
	URL encoded POST
7f32df868948a8e	URL encoded POST
newaccount	URL encoded POST
newuserauth	URL encoded POST
newusername	URL encoded POST
newuserpsw	URL encoded POST
newuserpswc	URL encoded POST
newusertype	URL encoded POST

Input scheme 3

Input name	Input type
changeaccount	URL encoded GET

Input scheme 4

Input name	Input type
03927dc420933e2	URL encoded POST
changeaccount	URL encoded POST

Input scheme 5

Input name	Input type
	URL encoded POST
03927dc420933e2	URL encoded POST
newaccount	URL encoded POST
newuserauth	URL encoded POST
newusername	URL encoded POST
newuserpsw	URL encoded POST
newuserpswc	URL encoded POST
newusertype	URL encoded POST

<https://pulse:59980/audit.php>

No vulnerabilities have been identified for this URL

15 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
------------	------------

392d116c6bfd1d1	URL encoded POST
changepassword	URL encoded POST

Input scheme 2	
Input name	Input type
0920ccd2eae120d	URL encoded GET
file	URL encoded GET

Input scheme 3	
Input name	Input type
filter	URL encoded GET
orderby	URL encoded GET

Input scheme 4	
Input name	Input type
	URL encoded GET
file	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET

Input scheme 5	
Input name	Input type
a07c50c85f56b0b	URL encoded POST
changepassword	URL encoded POST

Input scheme 6	
Input name	Input type
2c4b299d8066c98	URL encoded GET
file	URL encoded GET

https://pulse:59980/auditjq.php

No vulnerabilities have been identified for this URL

14 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
–	URL encoded GET
0920ccd2eae120d	URL encoded GET
file	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
svrrun	URL encoded GET

Input scheme 2	
Input name	Input type
–	URL encoded GET
2c4b299d8066c98	URL encoded GET
file	URL encoded GET
filter	URL encoded GET
orderby	URL encoded GET
page	URL encoded GET
svrrun	URL encoded GET

https://pulse:59980/tail.php

No vulnerabilities have been identified for this URL

41 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
download	URL encoded GET
file	URL encoded GET
path	URL encoded GET

Input scheme 2

Input name	Input type
download	URL encoded GET
file	URL encoded GET
path	URL encoded GET
132ea0ed0727a88	URL encoded POST
changepassword	URL encoded POST

Input scheme 3

Input name	Input type
download	URL encoded GET
file	URL encoded GET
path	URL encoded GET
132ea0ed0727a88	URL encoded POST
openeditconf	URL encoded POST
tailoutput	URL encoded POST

Input scheme 4

Input name	Input type
download	URL encoded GET
file	URL encoded GET
path	URL encoded GET
132ea0ed0727a88	URL encoded POST
openeditconf	URL encoded POST

Input scheme 5

Input name	Input type
file	URL encoded GET
path	URL encoded GET

Input scheme 6

Input name	Input type
	URL encoded GET
download	URL encoded GET
file	URL encoded GET
path	URL encoded GET

Input scheme 7

Input name	Input type
download	URL encoded GET
file	URL encoded GET
path	URL encoded GET
a3115049a276a45	URL encoded POST
changepassword	URL encoded POST

Input scheme 8

Input name	Input type
------------	------------

download	URL encoded GET
file	URL encoded GET
path	URL encoded GET
a3115049a276a45	URL encoded POST
openeditconf	URL encoded POST
tailoutput	URL encoded POST

Input scheme 9

Input name	Input type
download	URL encoded GET
file	URL encoded GET
path	URL encoded GET
a3115049a276a45	URL encoded POST
openeditconf	URL encoded POST

https://pulse:59980/tailjq.php

No vulnerabilities have been identified for this URL

10 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
–	URL encoded GET
7795f3c0f3385e5	URL encoded GET
file	URL encoded GET
openeditconf	URL encoded GET
path	URL encoded GET

Input scheme 2

Input name	Input type
–	URL encoded GET
8a7f12f5a59bf47	URL encoded GET
file	URL encoded GET
openeditconf	URL encoded GET
path	URL encoded GET

https://pulse:59980/7zip.php

No vulnerabilities have been identified for this URL

18 input(s) found for this URL

Inputs

Input scheme 1

Input name	Input type
download	URL encoded GET
file	URL encoded GET
name	URL encoded GET
path	URL encoded GET

Input scheme 2

Input name	Input type
download	URL encoded GET
file	URL encoded GET
name	URL encoded GET
path	URL encoded GET
acc6f4627e4d0b3	URL encoded POST
changepassword	URL encoded POST

Input scheme 3	
Input name	Input type
file	URL encoded GET
path	URL encoded GET

Input scheme 4	
Input name	Input type
download	URL encoded GET
file	URL encoded GET
name	URL encoded GET
path	URL encoded GET
023806f61b78653	URL encoded POST
changepassword	URL encoded POST

https://pulse:59980/7zipjq.php
 No vulnerabilities have been identified for this URL
 16 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
–	URL encoded GET
7c5b7928957f918	URL encoded GET
extract	URL encoded GET
extractfolder	URL encoded GET
extractpass	URL encoded GET
file	URL encoded GET
lock	URL encoded GET
path	URL encoded GET

Input scheme 2	
Input name	Input type
–	URL encoded GET
1cc2b262087d2e4	URL encoded GET
extract	URL encoded GET
extractfolder	URL encoded GET
extractpass	URL encoded GET
file	URL encoded GET
lock	URL encoded GET
path	URL encoded GET

https://pulse:59980/download.php
 No vulnerabilities have been identified for this URL
 12 input(s) found for this URL

Inputs

Input scheme 1	
Input name	Input type
7795f3c0f3385e5	URL encoded GET
download	URL encoded GET
path	URL encoded GET

Input scheme 2	
Input name	Input type
7c5b7928957f918	URL encoded GET
download	URL encoded GET
path	URL encoded GET

Input scheme 3	
Input name	Input type
8a7f12f5a59bf47	URL encoded GET
download	URL encoded GET
path	URL encoded GET

Input scheme 4	
Input name	Input type
1cc2b262087d2e4	URL encoded GET
download	URL encoded GET
path	URL encoded GET